



MAEER MIT PUNE'S
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH
MEDICAL COLLEGE (ESTD - 1995)
DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL
Accredited by NAAC with 'A' Grade

Talegaon Dabhade, Pune 410507, Maharashtra, India.
■ Tel.: 02114 - 308300 ■ Fax : 02114 - 223916.
■ Website : www.mitmimer.com ■ Email : info@mitmimer.com.

MIMER Medical College, Talegaon Dabhade

Agreements/MoUs with Government and other approved agencies

INDEX

Sr.No.	MoU/Agreement document	Page No.
1	Biomedical waste management	2-6
2	E-waste agreement	7-20
3	Water waste management agreement	21-40
4.	AERB registration	41-88



Let's Save Environment

LIFE SECURE ENTERPRISES

COMMON BIO-MEDICAL WASTE TREATMENT, STORAGE & DISPOSAL FACILITY



Bio Hazard

CERTIFICATE OF MEMBERSHIP

We are Authorized for Collection, Transportation, Reception, Storage, Treatment & Final disposal of Bio-Medical Waste by Maharashtra Pollution Control Board under Bio-Medical Waste (Management and Handling Rule 1998) and Environment Protection Act 1986.

This is to certify that, the below mentioned Institution is registered with us for Scientific disposal of Bio-Medical Waste generated at their end.

MEMBERSHIP NO.	LSE-PMVL-GS-0002					
NAME OF INSTITUTION	DR. BHAUSHAEB SARDESAI TALEGAON RURAL HOSPITAL AND M.I.M.E.R. MEDICAL COLLEGE					
AUTHORISED PERSON	Medical Superintendent					
ADDRESS	Near Talegaon Railway Station Talegaon Dabhade Stn Tal - Maval, Dist - Pune 410507					
TYPE OF INSTITUTION	General Hospital & Surgical Hospital					
NATURE OF BEDS	GENERAL	MATERNITY	ICU	NICU	SPECIAL	TOTAL
NO. OF BEDS	710	90	0	0	0	800
DATE OF ISSUE	01-April-2021		DATE OF EXPIRY		31-March-2022	

As per MPCB norms, proper segregation and disposal of the same by delivering the waste to the CBWTF vehicle designated point is the responsibility of individual Generator

* Compliance as per MPCB rules as under be ensured from your end :-

1	Proper Segregation and Handling over the waste to us
2	Waste sharps/Needles to be disinfected & Mutilated (Buring/Cutting) before Handling over to us.
3	Glass material to be given separately after disinfection & breaking at your end.
4	Ensure Delivery of Blue, Yellow & Red bags to collection vehicle.
5	No untreated bio-medical waste should be kept stored beyond a period of 48 hours.
6	Bio Medical Waste should not be mixed with other wastes.

We assured that the Bio Medical Waste received at our end is disposed off as per the norms paid down by MPCB from time to time.

Director

Life Secure Enterprises



M.I.M.E.R. Medical College Campus, Talegaon Dabhade, Tal. Maval, Dist. Pune 410 507



LIFE SECURE ENTERPRISES

COMMON BIO-MEDICAL WASTE TREATMENT, STORAGE & DISPOSAL FACILITY



CERTIFICATE OF MEMBERSHIP

We are Authorized for Collection, Transportation, Reception, Storage, Treatment & Final disposal of Bio-Medical Waste by Maharashtra Pollution Control Board under Bio-Medical Waste (Management and Handling Rule 1998) and Environment Protection Act 1986.

This is to certify that, the below mentioned Institution is registered with us for Scientific disposal of Bio-Medical Waste generated at their end.

MEMBERSHIP NO.	LSE/CBMW/TSDF/PMT - 001					
NAME OF INSTITUTION	M.I.M.E.R. MEDICAL COLLEGE AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL					
AUTHORISED PERSON	Dr. Suresh Govind Ghaisas					
ADDRESS	Talegaon-Dhabhade, Tal - Maval, Dist - Pune. (410 507)					
TYPE OF INSTITUTION	General Hospital					
NATURE OF BEDS	GENERAL	MATERNITY	ICU	NICU	SPECIAL	TOTAL
NO. OF BEDS	710	90	00	00	00	800
DATE OF ISSUE	01 Apr. 2020		DATE OF EXPIRY		31 Mar. 2021	

As per MPCB norms, proper segregation and disposal of the same by delivering the waste to the CBWTF vehicle designated point is the responsibility of individual Generator

* Compliance as per MPCB rules as under be ensured from your end :-

1	Proper Segregation and Handling over the waste to us
2	Waste sharps/Needles to be disinfected & Mutilated (Buring/Cutting) before Handling over to us.
3	Glass material to be given separately after disinfection & breaking at your end.
4	Ensure Delivery of Blue, Yellow & Red bags to collection vehicle.
5	No untreated bio-medical waste should be kept stored beyond a period of 48 hours.
6	Bio Medical Waste should not be mixed with other wastes.

We assured that the Bio Medical Waste received at our end is disposed off as per the norms paid down by MPCB from time to time.


Director



Life Secure Enterprises

M.I.M.E.R. Medical College Campus, Talegaon Dabhade, Tal. Maval, Dist. Pune 410 507



Let's Save Environment

LIFE SECURE ENTERPRISES

COMMON BIO-MEDICAL WASTE TREATMENT, STORAGE & DISPOSAL FACILITY



Bio Hazard

CERTIFICATE OF MEMBERSHIP

We are Authorized for Collection, Transportation, Reception, Storage, Treatment & Final disposal of Bio-Medical Waste by Maharashtra Pollution Control Board under Bio-Medical Waste (Management and Handling Rule 1998) and Environment Protection Act 1986.

This is to certify that, the below mentioned Institution is registered with us for Scientific disposal of Bio-Medical Waste generated at their end.

MEMBERSHIP NO.	LSE/CBMW/TSDF/PMT - 001					
NAME OF INSTITUTION	M.I.M.E.R. MEDICAL COLLEGE AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL					
AUTHORISED PERSON	Dr. Suresh Govind Ghaisas					
ADDRESS	Talegaon-Dhabhade, Tal - Maval, Dist - Pune. (410 507)					
TYPE OF INSTITUTION	General Hospital					
NATURE OF BEDS	GENERAL	MATERNITY	ICU	NICU	SPECIAL	TOTAL
NO. OF BEDS	710	90	00	00	00	800
DATE OF ISSUE	01 Apr. 2019			DATE OF EXPIRY	31 Mar. 2020	

As per MPCB norms, proper segregation and disposal of the same by delivering the waste to the CBWTF vehicle designated point is the responsibility of individual Generator

* Compliance as per MPCB rules as under be ensured from your end :-

1	Proper Segregation and Handling over the waste to us
2	Waste sharps/Needles to be disinfected & Mutilated (Buring/Cutting) before Handling over to us.
3	Glass material to be given separately after disinfection & breaking at your end.
4	Ensure Delivery of Blue, Yellow & Red bags to collection vehicle.
5	No untreated bio-medical waste should be kept stored beyond a period of 48 hours.
6	Bio Medical Waste should not be mixed with other wastes.

We assured that the Bio Medical Waste received at our end is disposed off as per the norms paid down by MPCB from time to time.

Director



Life Secure Enterprises


M.I.M.E.R. Medical College Campus, Talegaon Dabhadhe, Tal. Maval, Dist. Pune 410 507



Let's Save Environment

LIFE SECURE ENTERPRISES

COMMON BIO-MEDICAL WASTE TREATMENT, STORAGE & DISPOSAL FACILITY



Bio Hazard

CERTIFICATE OF MEMBERSHIP

We are Authorized for Collection, Transportation, Reception, Storage, Treatment & Final disposal of Bio-Medical Waste by Maharashtra Pollution Control Board under Bio-Medical Waste (Management and Handling Rule 1998) and Environment Protection Act 1986.

This is to certify that, the below mentioned Institution is registered with us for Scientific disposal of Bio-Medical Waste generated at their end.

MEMBERSHIP NO.	LSE/CBMW/TSDP/PMT - 001					
NAME OF INSTITUTION	M.I.M.E.R. MEDICAL COLLEGE AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL					
AUTHORISED PERSON	Dr. Suresh Govind Ghaisas					
ADDRESS	Talegaon-Dhabhade, Tal - Maval, Dist - Pune. (410 507)					
TYPE OF INSTITUTION	General Hospital					
NATURE OF BEDS	GENERAL	MATERNITY	ICU	NICU	SPECIAL	TOTAL
NO. OF BEDS	710	99	00	00	00	800
DATE OF ISSUE	01 Apr. 2018		DATE OF EXPIRY	31 Mar. 2019		

As per MPCB norms, proper segregation and disposal of the same by delivering the waste to the CBWTF vehicle designated point is the responsibility of individual Generator

* Compliance as per MPCB rules as under be ensured from your end :-

1	Proper Segregation and Handling over the waste to us
2	Waste sharps/Needles to be disinfected & Mutilated (Buring/Cutting) before Handling over to us.
3	Glass material to be given separately after disinfection & breaking at your end.
4	Ensure Delivery of Blue, Yellow & Red bags to collection vehicle.
5	No untreated bio-medical waste should be kept stored beyond a period of 48 hours.
6	Bio Medical Waste should not be mixed with other wastes.

We assured that the Bio Medical Waste received at our end is disposed off as per the norms paid down by MPCB from time to time.

Director



Life Secure Enterprises

M.I.M.E.R. Medical College Campus, Talegaon Dabhade, Tal. Maval, Dist. Pune 410 507



Let's Save Environment

LIFE SECURE ENTERPRISES

COMMON BIO-MEDICAL WASTE TREATMENT, STORAGE & DISPOSAL FACILITY



Bio Hazard

CERTIFICATE OF MEMBERSHIP

We are Authorized for Collection, Transportation, Reception, Storage, Treatment & Final disposal of Bio-Medical Waste by Maharashtra Pollution Control Board under Bio-Medical Waste (Management and Handling Rule 1998) and Environment Protection Act 1986.

This is to certify that, the below mentioned Institution is registered with us for Scientific disposal of Bio-Medical Waste generated at their end.

MEMBERSHIP NO.	LSE/CBMW/TSDF/PMT - 001					
NAME OF INSTITUTION	M.I.M.E.R. MEDICAL COLLEGE AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL					
AUTHORISED PERSON	Dr. Suresh Govind Ghaisas					
ADDRESS	Talegaon-Dhabhade, Tal - Maval, Dist - Pune. (410 507)					
TYPE OF INSTITUTION	General Hospital					
NATURE OF BEDS	GENERAL	MATERNITY	ICU	NICU	SPECIAL	TOTAL
NO. OF BEDS	710	90	00	00	00	800
DATE OF ISSUE	01 Apr. 2017		DATE OF EXPIRY	31 Mar. 2018		

As per MPCB norms, proper segregation and disposal of the same by delivering the waste to the CBWTF vehicle designated point is the responsibility of individual Generator

* Compliance as per MPCB rules as under be ensured from your end :-

1	Proper Segregation and Handling over the waste to us
2	Waste sharps/Needles to be disinfected & Mutilated (Buring/Cutting) before Handling over to us.
3	Glass material to be given separately after disinfection & breaking at your end.
4	Ensure Delivery of Blue, Yellow & Red bags to collection vehicle.
5	No untreated bio-medical waste should be kept stored beyond a period of 48 hours.
6	Bio Medical Waste should not be mixed with other wastes.

We assured that the Bio Medical Waste received at our end is disposed off as per the norms paid down by MPCB from time to time.



Director

Life Secure Enterprises

M.I.M.E.R. Medical College Campus, Talegaon Dabhade, Tal. Maval, Dist. Pune 410 507



Let's Save Environment

LIFE SECURE ENTERPRISES

COMMON BIO-MEDICAL WASTE TREATMENT, STORAGE & DISPOSAL FACILITY



Bio Hazard

CERTIFICATE OF MEMBERSHIP

We are Authorized for Collection, Transportation, Reception, Storage, Treatment & Final disposal of Bio-Medical Waste by Maharashtra Pollution Control Board under Bio-Medical Waste (Management and Handling Rule 1998) and Environment Protection Act 1986.

This is to certify that, the below mentioned Institution is registered with us for Scientific disposal of Bio-Medical Waste generated at their end.

MEMBERSHIP NO.	LSE/CBMW/TSDF/PMT - 001					
NAME OF INSTITUTION	M.I.M.E.R. MEDICAL COLLEGE AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL					
AUTHORISED PERSON	Dr. Suresh Govind Ghaisas					
ADDRESS	Talegaon-Dhabhade, Tal - Maval, Dist - Pune. (410 507)					
TYPE OF INSTITUTION	General Hospital					
NATURE OF BEDS	GENERAL	MATERNITY	ICU	NICU	SPECIAL	TOTAL
NO. OF BEDS	560	90	00	00	00	650
DATE OF ISSUE	01 Apr. 2016			DATE OF EXPIRY	31 Mar. 2017	

As per MPCB norms, proper segregation and disposal of the same by delivering the waste to the CBWTF vehicle designated point is the responsibility of individual Generator

* Compliance as per MPCB rules as under be ensured from your end :-

1	Proper Segregation and Handling over the waste to us
2	Waste sharps/Needles to be disinfected & Mutilated (Buring/Cutting) before Handling over to us.
3	Glass material to be given separately after disinfection & breaking at your end.
4	Ensure Delivery of Blue, Yellow & Red bags to collection vehicle.
5	No untreated bio-medical waste should be kept stored beyond a period of 48 hours.
6	Bio Medical Waste should not be mixed with other wastes.

We assured that the Bio Medical Waste received at our end is disposed off as per the norms paid down by MPCB from time to time.


Director



Life Secure Enterprises

M.I.M.E.R. Medical College Campus, Talegaon Dabhadhe, Tal. Maval, Dist. Pune 410 507

BOARD OF OFFICERS

	: Board of Officers
Proceedings of :	: MIMER Medical College ,Talegaon Dabhade
Assembled at	: 21.6.21 and on subsequent days
On the day	: Executive Director of MIMER Medical College Vide verbal instruction passed on 14.6.21
By the order of	
For the purpose	: to check the IT/Electronic equipments kept in IT Department as unserviceable items and to ensure the Serviceability of such items and declare them as Unserviceable or otherwise
Chairman	: Dr Varoon Jaiswal,Professor MAEERS Phesiotherapy College : Mrs Aswini Gate I/C ITDepartment
Secretary	1 Dr Vivek Nirmale,Anatomy Department 2. Col R Lakshmanan (retd)
Members	Administrative Officer 3. Shri. Kasinath , Technician

FINDINGS OF THE BOARD

The Board having assembled pursuant to order proceeded to check the serviceability of IT/Electronic equipments kept in IT Department and declare them

unserviceable or otherwise produced before the Board as per Append index attached.

RECOMMENDATION OF THE BOARD

The Board of Officers recommends that all equipments/spare parts produced before the Board are checked and declared unserviceable and to be disposed off as E-Waste as per instruction of the Management.

Chairman

: 

Dr Varoon Jaiswal, Professor
Physiotherapy College

Secretary

: 

Mrs Aswini Gate I/C IT Department

Members

: 


1. Dr Vivek Nirmale Anatomy Department

: 

2. Col R Lakshmanan (retd)

: 

3. Shri Kasinath , Technician


24/6/21
Dr. Smita P. Bhide
Chairman, Examination Committee
Reg No. MMC 73605
Prof. & Head Dept. of Pathology
MIMER Medical College
Talegaon Dhabhade

List of IT Condemnation Instruments

Sr. No	Name of Instrument	Details	Quantity
1	Monitor- LCD	21" inch	14
2	Monitor- CRT	13" inch	29
3	Keyboard	Keys are not working	93
4	Printer	HP Business Inkjet 1000	10
		HP deskjet 3940	1
		Canon	1
		HP deskjet 5748	1
		Epson LX-300	7
		Epson Lx-310	2
		Epson Printer	1
5	Scanner	HP Scanjet 200, HP Scanjet 2400	2
6	Toner	Canon 12A, 88A, 925	19
7	Telephone	Old docomo	13
		BSNL	78
8	OHP	HP	1
9	D-link Switch	16 & 24 port Dlink Switch	2
10	DVR	Capture 16 Channel DVR	3
11	Color Cartilage	HP	20
12	UPS	1 KVA	9
		12 v 7 h	69
13	CPU	IBM, HP Without RAM & HDD , Having motherboard problem Non repairable	7

Q. Lohle



J Choudhary & Company

E-rase Your E-Waste With Us

Dealing in All Kind of Scrap, Specialist in E-waste & office Demolition

+91-9768844141 / +91-9869063886

○ jchoudharyandco@gmail.com

To,
MIMER Medical College,
Talegaon Dabhade, Tal-Maval, Dist-Pune

RATE LIST FOR E-WASTE DISPOSALS

SR.NO	ITEMS	QTY	RATE/UNIT/KG
1.	CRT Monitor	28	Rs.135/-
2.	LCD Monitor	10	Rs.105/-
3.	Printer All Model	23	Rs.90/-
4.	Scanner	02	Rs.25/-
5.	Tonner	19	Rs.8/-
6.	Telephone	91	Rs.12/-
7.	D-Link Switch	02	Rs.60/-
8.	Keyboard	69	Rs.8/-
9.	UPS with Battery	79	Rs.185/-
10.	Projector	03	Rs.150/-
11.	OHP	01	Rs.110/-
12.	Colour Cartridge	20	Rs.12/-
13.	UPS Batteries 7 AH	230	Rs.105/-
14.	E-Waste Miscellaneous Cables/PC Items	Lot	Rs.30/- kg
15.	CPU	06	Rs.130/-

NOTES

- We provide Green Certificate against E-Waste Disposals.
- We provide from 6/MPCB passbook entry.
- Transport and labour arrange by J Choudhary & Company.

We are waiting for your valuable reply.

For J CHOUDHARY AND COMPANY


Authorized signatory

- Off : Masjid Chowk, Opp. Company No 3, N S S Road, Narayan Nagar, Ghatkopar (W), Mumbai - 400 086.
- Factory : Survey No. 87/3, Pipewala, Lane, Mohammadiya Estate, Near Siddhivinayak Weight Bridge, Pimpri, Old Mumbai Pune Road, Thane - 400 0612.
- Godown : Shop No. 103, 1/1, Shivaji Kutr Mandar, L.B.S. Marg, Kuria (W), Mumbai - 400 070.

BOARD OF OFFICERS

- Proceedings of a : Board of Officers
- Assembled at : Central stores
- On the day : 05.07.2021
- By the order : Executive Director vide Noting no
MIMER/e-Waste/Disposal/1/21
dated 16.06.2021
- the purpose : to dispose the e-Waste declared
unserviceable to the highest
bidder having the required license
to purchase the e-Waste and
issue Green Certificate against
e-Waste Disposals
- Chairman : Dr Varoon Jaiswal, Professor
MAEERS Physiotherapy College
- Secretary : Mrs Aswini Gate, I/C IT Department
- Member : 1. R Lakshmanan (retd)

FINDINGS OF THE BOARD

The board having assembled pursuant to order proceed to dispose the e-Waste stored in Central stores, and IT Department .The e-waste is sold as per the list enclosed in Appendix

Chairman

: 

Dr Varoon Jaiswal, Professor
MAEERS Physiotherapy College

Secretary

: 

Mrs Aswini Gate, I/C IT Department

Member

: 

1. R Lakshmanan (retd)

Read.




09.07.2021

MIMER Medical College, Talegaon (D)
IT Condemnation Items

Item Name	Quantity	Unit	Rate	Total Rate
Battery 1 KVA	57	No	40	2280
Battery 12v	180	No	105	18900
UPS + Battery 12 V	48	No	185	8880
UPS + Battery 1 KVA	2	No	185	370
Keyboard	89	No	8	712
Monitor CRT	41	No	135	5535
Monitor LCD	14	No	105	1470
Fargo Color Ribbon	14	No	15	210
CPU	25	No	130	3250
Electric Battery	50	No	35	1750
UPS without battery	132	Kg	18	2376
Miscellaneous (cables)	110	Kg	30	3300
Printer all model	23	No	90	2070
Telephone	91	No	12	1092
Scanner	2	No	25	50
DVR	3	No	60	180
Toner	19	No	8	152
D link Switch	2	No	60	120
Total				52698.8

Atk
6/7/2021
4/3 Aswini Gokhale

Adul
a Lakshya
6/7/2021
Accts Dept
Received



CERTIFICATE

It is certified that the Newspapers and Card board held in college library has been sold and the proceeds of which is deposited with accounts Dept

Qty 1. Newspaper 160.80 kg } → 1929.60
Rate Rs 12/kg

2. Card Boards 25.60 kg → 358.40
Rate Rs 14/kg

2288.00

(Rs five thousand two hundred and eighty eight only)

Signature

Librarian

M. J. K. ... College
... ..

Signature

②
... ..
6/7/2021

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24010437/24020781
/24037124/24035273
Fax : 24044532/24024068
/24023516
Email : rohq@mpcb.gov.in
Website: www.mpcb.gov.in



Kalpataru Point, 3rd & 4th Floor, ,
Sion- Matunga Scheme Road No. 8, Opp. Cine
Planet Cinema
Near Sion Circle, Sion (E),
Mumbai - 400 022

Red/S.S./Dismantler

UAN: MPCB-CONSENT-0000053803

Consent No: BO/MPCB/RO(HQ)/NM/CO/B-

Date: 25/02/2019

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 & Authorization / Renewal of Authorization under Rule 13 of the E-Waste (Management) Rules, 2016.

[To be referred as Water Act, Air Act, HOW (M&TM) Rules and E-Waste (M) Rules, respectively].

CONSENT is hereby granted to

M/s. J Choudhary & Company,
Sr. No. 67/3, Pipewal Lane Mohammadiya Estate,
Pimpri Old Mumbai Pune Road, Pimpri,
Thane - 400612.

Located in the area declared under the provisions of the Water Act, Air act, Authorization under the provisions of H&OW (M&TM) Rules and amendments thereto and the E-Waste (M) Rules, 2016 and subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for period upto 31/01/2024.
[Subject to having Authorisation from MPCB as "E-Waste Recycler" as per provisions of the Rule 11 of the E-Waste (M) Rules, 2016.]

2. The Consent is valid for the activity of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	Collection, Segregation and Dismantling of E-Waste ITEW - 1,2,3,4,5,15 CEEW - 1,2,3,4,5	500	MT/A

Using Environmentally Sound technology as per E-Waste (M) Rules, 2016)

3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall be NIL.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 0.5 M³.
- (iii) Trade Effluent Treatment: --- NA ---
- (iv) Trade Effluent Disposal: --- NA ---
- (v) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

"M/s. J Choudhary & Company, MPCB-CONSENT-0000053803"

- (1) Suspended Solids Not to exceed 100 mg/l.
 (2) BOD 3 days 27° C Not to exceed 100 mg/l.

(vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vi) **Non-Hazardous Solid Wastes:**

Sr. No.	Type of Waste	Quantity	UOM	Treatment	Disposal
1.	Scrap/plastic packing material	05	MT/A	---	Sale to authorized party

(vii) **Other Conditions:** Industry should monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under

The daily water consumption for the following categories is as under:

- (i) Domestic purpose --- 0.70 CMD
 (ii) Water gets Polluted & Pollutants are Biodegradable --- 0.00 CMD
 (iii) Water gets Polluted, Pollutants are not Biodegradable & Toxic --- 0.00 CMD
 (iv) Industrial Cooling, spraying in mine pits or boiler feed --- 0.00 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIONS UNDER AIR ACT:

(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

Control Equipment: Industry shall provide air pollution control equipments of sufficient capacity to control the emissions.

a. Standards for Emissions of Air Pollutants:

- (i) SPM/TPM Not to exceed 150 mg/Nm³
 (ii) SO₂ Not to exceed -- kg/day

(iii) Standards for Stack Emissions:

The applicant shall observe the following fuel pattern:-

Sr. No.	Type of Fuel	Quantity	UOM
---	---	---	---

(ii) **The applicant shall erect the chimney(s) of the following specifications:-**

Sr. No.	Chimney Attached To	Height in Mtrs.
---	---	---

(iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

(iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(v) **Other Conditions:**

1. The industry should not cause any nuisance in surrounding area.
2. The industry should monitor stack emissions and ambient air quality regularly.

6. CONDITIONS UNDER HAZARDOUS & OTHER WASTES (MANAGEMENT & TRANSBOUNDRY MOVEMENT) RULES, 2016:

(i) The Industry shall handle hazardous wastes as specified below.

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
1	31.1 – Process residues and waste	5.0	MT/A	CHWTSDF

(ii) The authorization is hereby granted to operate a facility for generation, collection, storage, transport & disposal of hazardous waste.

(iii) It shall be ensured that the Hazardous waste is handled, managed & disposed of strictly in accordance with the Hazardous & Other Wastes (M & TM) Rules, 2016 and shown & submitted to the Board as & when asked for.

a. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

b. The unit has to display and maintain the data online outside the factory main gate in Marathi & English both on a 6'x4' display board in the manner and the report of the compliance along with photograph shall be submitted to this office & concerned Regional Office/ Sub Regional Office.

c. The industry shall submit the Annual Returns as per rules 6(5), and 20 (2) of the Hazardous & Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form - IV by 30th June of every year.



7. **Specific Conditions for storage, Handling and Disposal of Waste from Electrical & Electronic equipment (WEEE):**

i. **Collection of WEEE –**

The applicant must provide appropriate and dedicated vehicles duly identified as per the norms for transportation of Hazardous Waste. The applicant shall obtain all the required permits for transportation of WEEE from competent authority. The applicant shall ensure the safe transport of the WEEE without any spillage during transportation.

Storage for disassembled parts: The applicant must provide appropriate storage for disassembled spare parts from WEEE. Some spare parts (e.g. motors and compressors) will contain oil and/or other fluids. Such part must be appropriately segregated and stored in containers that are secured such that oil and other fluids cannot escape from them. These containers must be stored on an area with an area with an impermeable surface and a sealed drainage system.

ii. **Storage for other components and residues:–**

Other components and residues arising from the treatment of WEEE will need to be contained following their removal for disposal or recovery. Where they contain hazardous substances they should be stored on impermeable surface and in appropriate containers or bays with weatherproof covering. Containers should be clearly labelled to identify their contents and must be secured so that liquids, including rain water cannot enter them. Components should be segregated having regard to their eventual destinations and the compatibility of the component types. All batteries should be handled and stored having regard to the potential fire risk associated with them.

iii. **Balances :-**

WEEE Guidelines also requires that sites for handling of WEEE have "balances to measure the weight of the segregated waste". The objective is to ensure that a record of weights can be maintained of WEEE entering a facility and components and materials leaving each site (together with their destinations). The nature of the weighing equipment should be appropriate for the type and quantity of WEEE being processed.

- iv. Plastic, which cannot be recycled and is hazardous in nature, is recommended to be land filled in nearby CHWTSDF.
- v. Ferrous and non ferrous metal recycling facilities fall under the purview of existing environmental regulations for air, water, noise, land and soil pollution and generation of hazardous waste and the same should be followed.
- vi. CFCS should be either reused or incinerated in common hazardous waste Incineration facilities at CHWTSDF.
- vii. Waste Oil should be either reused or incinerated in common hazardous waste incineration facilities.
- viii. PCB's containing capacitors shall be incinerated in common hazardous waste incineration facilities at CHWTSDF.
- ix. Mercury recovery and lead recycling facilities from batteries fall under the
- x. Existing environmental regulations for air; water; noise, land and soil pollution and generation of hazardous waste and the same should be followed. In case Mercury or lead recovery is very low, they can be temporarily stored at e-waste recycling facility and later disposed in TSDF.

- xi. The industry shall maintain records of the e-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 as per Rules 11(9) & 13(3)(vii) of the E-Waste(M) Rules, 2016; on or before 30th day of June of every year.

8. Industry shall comply with following general conditions:

- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
- iii. Solid waste – The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- viii. The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- ix. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
- xii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

9. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
11. The applicant shall comply with conditions stipulated in the authorization certificate issued by the MPC Board vide no: MPCB/RO(HQ)/HSMD/Autho/18/EW-19 dated: 22/02/2019, valid up to: 31/01/2024 for dismantling & Refurbishing of E - Waste - 500 MT/A.
12. The Total Capital investment of the industry is Rs. 51.10/- lakhs.


(N. N. Gurav)
Regional Officer (HQ)

To,
M/s. J Choudhary & Company,
Sr. No. 67/3, Pipewal Lane Mohammadiya Estate,
Pimpri Old Mumbai Pune Road, Pimpri,
Thane - 400612

Copy to:

- 1) Regional Officer, Navi Mumbai / SRO Navi Mumbai -II, MPCB Navi Mumbai.
- 2) Chief Accounts Officer, MPCB, Mumbai,
- 3) Master File

Received Consent fee of -

Sr. No.	Amount(Rs.)	TXN No.	Date	Drawn On
1	7500/-	TXN1810000370	05/10/2018	Online Payment

Supplier

MAHARASHTRA ACADEMY OF ENGINEERING AND EDUCATION RESEARCHS
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH,
DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL
TALEGAON-DABHADE – 410 507.

Website : www.mitmimer.com

• E. Mail : mimer.stores@gmail.com • Tel : 02114-308448, 495, 300

GST NO: 27AAAAM1206F1Z6
PURCHASE ORDER

Supplier:- WTE Infra Projects Pvt. Ltd.

26/6 Apte Colony Pune -Nashik Road. Behind Ayyappa Temple,
Bhosan Pune-411039 Ph.No 0(20)-32009688/32669688,/8975759688
Email:- Contact@watertreatmentindia.net
GSTIN :27AAECK4133B1Z0
State : Maharashtra State Code
Ship to : MIMER MEDICAL COLLEGE, TALEGAON DABHADE
Bill to : MIMER MEDICAL COLLEGE, TALEGAON DABHADE

Order No : 188 Dated:- 24/01/2018

Qtn No : ENSER1718000197 Dated:- 22/01/2018

Dept : Electrical (STP Plant Maintenance)

Sr. No.	Description of Goods	HSN Code	Qty	Rate	Amount	Less discount	Taxable value	GST		Total
								%	Amount	
1	Floaty (3 mtr Cable)	84219900	1	1800.00	1800.00	0.00	1800.00	18	324.00	2124.00
2	Green Indicator 220v	84219900	2	110.00	220.00	0.00	220.00	18	39.60	259.60
3	Red Indicator 220v	84219900	1	110.00	110.00	0.00	110.00	18	19.80	129.80
4	Dosing 6 LPH	84219900	1	6500.00	6500.00	0.00	6500.00	18	1170.00	7670.00
5	Blower air filter	84219900	1	3200.00	3200.00	0.00	3200.00	18	576.00	3776.00
TOTAL					11,830.00	0.00	11,830.00		2,129.40	13959.40

Total amount before tax: Rs.11830.00

Total amount after tax: Rs.13956.00

Total payable amount in words: Rs.Thirteen Thousand Nine Hundred Fifty Six Rupees only.

Terms & Conditions:-

GST : Inclusive
Payment : Payment will be made within 30 days after receipt of
bill of the material.

Delivery Period : 2 to 3 days
Transportation : Included

24/01/18
Prepared By
Purchase Dept

Checked By
Purchase Dept

EXECUTIVE DIRECTOR
MIMER MEDICAL COLLEGE & HOSPITAL
TALEGAON (D)




MAHARASHTRA ACADEMY OF ENGINEERING AND EDUCATION RESEARCHS
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH,
DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL
TALEGAON-DABHADE – 410 507.

Website : www.mitmimer.com

E. Mail : mimer.stores@gmail.com • Tel : 02114-308448, 495, 300

GST NO: 27AAAAM1206F1Z6
WORK ORDER

Supplier:- WTE Infra Projects Pvt. Ltd. 26/6 Apte Colony Pune -Nashik Road. Behind Ayyappa Temple, Bhosan Pune-411039 Ph.No 0(20)-32009688/32669688/8975759688 Email:-Contact@watertreatmentindia.net GSTIN :27AAECK4133B1Z0 State : Maharashtra State Code <input type="text" value="27"/> Ship to : MIMER MEDICAL COLLEGE, TALEGAON DABHADE Bill to : MIMER MEDICAL COLLEGE, TALEGAON DABHADE							Order No : 180-A Dated:-10/01/2018		Qtn No : WTE/AK/SPARES/17-18/1771 Dated:-21/11/2017		Dept : Electrical (STP Plant Maintenance)	
Sr. No.	Description of Goods	HSN Code	Qty	Rate	Amount	Less discount	Taxable value	GST		Total		
								%	Amount			
1	All Blower Preventive service	9954	1	9000.00	9000.00	0.00	9000.00	18	1620.00	10620.00		
2	Sludge Pump Maintains	9954	1	5500.00	5500.00	0.00	5500.00	18	990.00	6490.00		
3	Blue Tube	9954	12mtr	80.00	960.00	120.00	840.00	18	151.20	991.20		
4	Operation & Maintenance Board In Marathi.	9954	1	1500.00	1500.00	300.00	1200.00	18	216.00	1416.00		
5	Operation & Maintenance Training (2 days)	9954	2	1500.00	3000.00	0.00	3000.00	18	540.00	3540.00		
6	Sevice Charges (1 lot)	998717	1 lot	3000.00	3000.00	500.00	2500.00	18	450.00	2950.00		
TOTAL					22,960.00	920.00	22,040.00		3,967.20	26007.20		
Total amount before tax: Rs.22040.00							Total amount after tax: Rs.26007.00					
Total payable amount in words: Rs.Twenty Six Thousand Seven Rupees only.												
Terms & Conditions:-												
GST : Inclusive							Delivery Period : within 4 to 5 days					
Payment : 50 % Advance and remaining 50% after the completion of work & receipt of bill.							Transportation : Included					
Amended Work Order: Please process according to PO No 180-A												


27/10/18
Prepared By
Purchase Dept


Checked By
Purchase Dept


EXECUTIVE DIRECTOR
MIMER MEDICAL COLLEGE & HOSPITAL
TALEGAON (D)



**MAHARASHTRA ACADEMY OF ENGINEERING AND EDUCATION RESEARCHS
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH,
DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL
TALEGAON-DABHADE – 410 507.**

Website : www.mitmimer.com

• E. Mail : mimer.stores@gmail.com • Tel : 02114-308448, 495, 300

GST NO: 27AAAAM1206F1Z6

ANNUAL MAINTENANCE CONTRACT (AMC)

Supplier:- Green Enviro Services B-2 Chandra Varsha CHS plot no 3,4,5,6, Vatan Nagar Talegaon Dabhade Pune 410507 Email: green.enviro0109@gmail.com Contact Person: GSTIN : 27AA0620031380R State : Maharashtra State Code <input type="text" value="27"/> Ship to : MIMER MEDICAL COLLEGE, TALEGAON DABHADE Bill to : MIMER MEDICAL COLLEGE, TALEGAON DABHADE	Order No :026 Dated:12/11/2020 Qtn No : GES/20-21/AMC/29 Dated: 06/11/2020 Dept : P & D
---	---

Dear Sir,

As per your quotation GES/20-21/AMC/29 Dated: 06/11/2020 & subsequent discussion had with Mr. Santosh, we are pleased to place the Annual Maintenance Contract (AMC) for following mentioned machinery with your firm. as under :-

Sr. No.	Description of Goods	HSN Code	Qty	Rate	Amount	Less discount	Taxable value	GST		Total
								%	Amount	
1	Expert Site Visit Monthly Site Visit	9018	3	24000.00	72000.00	23760.00	48240.00	18	8683.2	56923.20
2	Monthly analysis Charge (Third Party) For STP Outlet Water	9018	1	30000.00	30000.00	9900.00	20100.00	18	3618	23718.00
3	Engineering Consumables for 20 KLD STP Plant (Belt, Bearing, Oil & Grease, etc)	9018	1	36000.00	36000.00	11880.00	24120.00	18	4341.6	28461.60
4	Chemical requirement to run 400 KLD STP Plant (Sodium Hypochloride Solution , DAP, UREA, JAGGERY & CULTURE) 300 liter	9018	1	180000.00	180000.00	59400.00	120600.00	18	21708	142308.00
5	Transportation charges for supply of chemicals	9018	1	12000.00	12000.00	4069.00	7931.00	18	1427.58	9358.58
6	Management Charges	9018	1	18000.00	18000.00	5940.00	12060.00	18	2170.8	14230.80
TOTAL					348,000.00	114,949.00	233,051.00		41,949.18	275000.18

Total Amount before Tax: 275000.00

Total amount after tax: Rs.275000.00

Total payable amount in words: Rs.Two Lakh Seventy Five Thousand Rupees only.

Terms & Conditions:-

- Above AMC is valid for 1 Year only.
- The valid Period of AMC is (12/11/2020 to 11/11/2021)
- AMC covered 1 preventive maintenance & unlimited number of breakdown call will be attended free of cost.
- calibration of the instrument as per standard procedure.
- 50 % Advance Against Proforma Invoice & remaining 50 % after 6 month

NOTE: It will be the responsibility of the supplier to submit the invoice in the same calendar month in which it is generated.

Sanjiv
Prepared By
Purchase Dept

Santosh
Checked By
Purchase Dept

S.M.
EXECUTIVE DIRECTOR
MIMER MEDICAL COLLEGE & HOSPITAL
TALEGAON (D)



MAHARASHTRA ACADEMY OF ENGINEERING AND EDUCATION RESEARCHS
 MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH,
 DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL
 TALEGAON-DABHADE - 410 507.

Website : www.mitmimer.com

E. Mail : purchase@mitmimer.com /mimer.stores@gmail.com Tel : 02114-308448, 495, 308

GST NO: 27AAAAM1206F1Z6

WORK ORDER

Supplier : Green Enviro Services					Order No	030	Dated	- 12/11/2020	
B-2 Chandra Varsha CHS plot no 3,4,5,6, Vatan Nagar Talegaon Dabhade Pune 410507					Reference	Email	Dated	- 06/11/2020	
Email -green.enviro0109@gmail.com					Dept	P & D			
GSTIN : 27AA0620031380R									
State : Maharashtra									
Ship to : MIMER MEDICAL COLLEGE, TALEGAON DABHADE									
Bill to : MIMER MEDICAL COLLEGE, TALEGAON DABHADE									
Sr. No.	Description of Work	Qty	Rate	Amount	Less discount	Taxable value	GST		Total
							%	Amount	
	STP Servicing Work 300 LH								
1	All Tanks Cleaning (Screen Bar, Collection Aeration Tube Setting filter Feed & Treated Water Tanks)	6	6000.00	36000.00	11200.00	24800.00	18	4464	29264.00
2	Biomass Develop in aeration tank (culture)	100	150.00	15000.00	8000.00	7000.00	18	1260	8260.00
3	Open Backwash for sand filter & carbon filter	2	3000.00	6000.00	1800.00	4200.00	18	756	4956.00
4	New sludge pump submersible	1	10000.00	10000.00	3000.00	7000.00	18	1260	8260.00
5	Fab Media	1	5000.00	5000.00	1500.00	3500.00	18	630	4130.00
TOTAL				72,000.00		46,500.00		8,370.00	54870.00
Total Amount before Tax: 46500.00						Total amount after tax: Rs. 54870.00			
Total payable amount in words: Rs. Fifty Four Thousand Eight Hundred Seventy Rupees only									
Terms & Conditions:-									
GST : 18%					Work Completion Period : Within 4 weeks				
Payment : Rs. 15000/- advance against work order					Transportation : Included				
Remaining within 30 days after completion of work									

NOTE: It will be the responsibility of the supplier to submit the invoice in the same calendar month in which it is generated.

Prepared By
Purchase Dept

Checked By
Purchase Dept

EXECUTIVE DIRECTOR
MIMER MEDICAL COLLEGE & HOSPITAL
TALEGAON (D)



MAHARASHTRA ACADEMY OF ENGINEERING AND EDUCATION RESEARCHS
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH,
DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL
TALEGAON-DABHADE – 410 507.

Website : www.mitmimer.com

• E. Mail : mimer.stores@gmail.com • Tel : 02114-308448, 495, 300

GST NO: 27AAAAM1206F1Z6
PURCHASE ORDER

Supplier:- WTE Infra Projects Pvt. Ltd. 25/6 Apte Colony Pune -Nashik Road. Behind Ayyappa Temple, Bhosan Pune-411039 Ph.No.0(20)-32009688/32669688,/8975759688 Email - Contact@watertreatmentindia.net GSTIN : 27AAECK4133B1Z6 State : Maharashtra State Code <input type="text" value="27"/> Ship to : MIMER MEDICAL COLLEGE, TALEGAON DABHADE Bill to : MIMER MEDICAL COLLEGE, TALEGAON DABHADE						Order No : 195 Dated:- 07/02/2018		Qtn No : ENQSER1718000227 Dated:- 03/02/2018		Dept : Electrical (STP Plant Maintenance)	
Sr. No.	Description of Goods	HSN Code	Qty	Rate	Amount	Less discount	Taxable value	GST		Total	
								%	Amount		
1	Blower Repair & Service Charges Everest Blower Model no. M5125. Capacity: 300, Motor capacity: 10hp	995468	1	15000.00	15000.00	0.00	15000.00	18	2700.00	17700.00	
TOTAL					15,000.00	0.00	15,000.00		2,700.00	17700.00	
Total amount before tax: Rs.15000.00							Total amount after tax: Rs.17700.00				
Total payable amount in words: Rs. Seventeen Thousand Seven Hundred Rupees only.											
Terms & Conditions:-											
GST : Inclusive						Delivery Period : 3 to 4 days					
Payment : Payment will be made within 30 days after receipt of bill of the material.						Transportation : Included					

A
07/02/18

Prepared By
Purchase Dept

g.m.c
Checked By
Purchase Dept

g.m.c
EXECUTIVE DIRECTOR
MIMER MEDICAL COLLEGE & HOSPITAL
TALEGAON (D)

TAX INVOICE

(Rule 11 of Central Excise Rule 2002, as amended)

ORIGINAL FOR BUYER



WATER TREATMENT EQUIPMENTS

SR.No.80, Behind Hotel Pragati, Bhosari-Alandi Road,
Wadmukhwadi-Charholi, Pimpri-Chinchwad, Pune-412105.
Tel.:+91-9822909688 Email : accounts@watertreatmentindia.net



An ISO 9001 : 2008 Certified Company

Our VAT TIN No. : 27560625581V Our CST TIN No. : 27560625581C	Invoice No. : 00389 ECC No. : AAAFW8485HEM001	Date : 19.01.2015
Range : Bhosari Range II Div. : Bhosari Div- I	Code No. : PLA No.:	Desp.from : Veh.No.: MH34M0755
Excise Comodity : SEWAGE TREATMENT PLANT Tariff Heading No. : 84212190 Rate of Duty : 6.00% Notif. No. :	Nature of Removal : Independent Buyer Category : Industrial Consumer	Transporter : TEJ CARRIER PVT LTD
Customer : MAHARASHTRA INSTITUTE OF MEDICAL DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL, TALEGAON-DABHADE	58064	Consignee : MAHARASHTRA INSTITUTE OF MEDICAL DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL, TALEGAON-DABHADE
Your VAT TIN : NA Your CST TIN : NA	Your ECC No. : NA	

Your PO No. & Date : HOSP-0117/16.01.2014 /Dt. 16.01.2014

Sr. No.	Particulars	Qty & Unit	Unit Rate Rs.	Amount Rs.
1	SEWAGE TREATMENT PLANT CIVIL UNDER GROUND-300KLD	1.000 No.	1459785.270	1459785.00

Remark :	Sub Total	Rs.	1459785.00
	Less Discount	Rs.	
Excise Duty Payable Rs. : 87587.10 E. Duty in words : (Rupees Eighty Seven Thousand Five Hundred Eighty Seven And Paise Ten Only)	Packing & Forwarding 0.00 %	Rs.	0.00
	Total Ass. Value	Rs.	1459785.00
We hereby certify that our registration certificate under the Maharashtra Value Added Tax Act. 2005 is in force on the date on which that the sale of the goods specified in this Tax Invoice is made by us and that the transaction of sales covered by this Tax Invoice has been affected by us and it shall be accounted for in the turnover of sales while filing of return and the due tax if any payable on the sale has been paid or shall be paid.	Total Excise Duty @ 6.00 %	Rs.	87587.10
	Edu. Cess @ 2.00 % on ED	Rs.	1751.74
	H&S Cess @ 1.00 % on ED	Rs.	875.87
	Taxable Freight/Transport	Rs.	0.00
Invoice Value : (Rupees Seventeen Lakh Forty Three Thousand Seven Hundred Fifty Only)	Taxable Amount	Rs.	1549999.71
	MVAT @ 12.50%	Rs.	193749.96
Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.	Freight	Rs.	0.00
	Octroi	Rs.	0.00
		Rs.	0.00
	Round off	Rs.	0.33
	Invoice Value	Rs.	1743750.00

Payment Terms:
If payment of this bill is not received within due date, interest @ 24% P. A. will be collected from you in addition to the bill amount.

Material received in good condition.



For WATER TREATMENT EQUIPMENTS

LBT Regi.No.-PCMC-LBT-0000904

Receiver's Signature

Subject to Pune Jurisdiction Only

Authorised Signatory



Water Treatment Equipments, India


For Water And Waste Water Treatment Systems

Sales Off. : 26/6, Apte Colony Pune-Nashik Road Bhosar, Pune - 411 039.

Mfg. & Service : Sr.No. 80/1, Bhosari-Alandi Road, Behind Hotel Pragati, Magazine Corner,

Wadmukhwadi, Charholi(B) Pimpri Chinchwad, Pune - 412 105.

Contacts : + 91+20-32009688, 32669688 +91-7350010552 Email . contact@watertreatmentindia.net



HANDOVER LETTER

DATE: 17/03/2015

To,
MIMER,
TALEGAON DHABHADE,
PUNE.

Kind Attn. : Mr. Mistri sir.

Subject : Hand-over Letter for Sewage Treatment Plant.

Dear Sir,

This has to reference to your Purchase order no:-HOSP-0117/16.01.2014 regarding design, supply, erection and commissioning of STP Plant having capacity of 300 KLD at your MIMER, Talegaon Dabhade site. The plant is supplied, installed, tested and commissioned by WTE is found working satisfactory as per the designed parameter.

The plant is warranted for 12 months from the date of commissioning or 18 months from the date of delivery whichever is earlier.


Looking forward your co-operation in future and we assures you our best service backup at all times.

Thanking you,

Yours Faithfully,

FOR WATER TREATMENT EQUIPMENTS

Mangesh Sanap
MR. MANGESH SANAP
PROJECT IN CHARGE
07350885400



MIMER TALEGAON
CONSTRUCTION SITE
S.T.P. Plant site
Recolve on 18/3/2015
Time : 12:00 PM

Handwritten signatures and notes:
S.B. Mistry
18/3/2015
18/3/2015

Maharashtr State Public Health Services
State Public Health Laboratory, Pune.

Phone : (020) 25330225

REPORT ON CHEMICAL EXAMINATION OF STP WATER

Date of Collection-- Date of Receipt- 21/04/15 Date of Examination- 21/04/15 Onwards

RESULTS OF EXAMINATION

(All the Analytical Results are in mg / Liter except pH)

SR.NO.	TEST PARAMETER	STP Water Collage Building
1	Physical Character	Yellowish Slight Turbid with Suspended Solids
2	pH	7.18
3	Total Suspended Solids	18.21
4	Dissolved Oxygen	0.9
5	Chemical Oxygen Demand	46.56
6	Total Dissolved Solids	501.0

- The results are as above.
- It is presumed that, the representative sample from the source is sent for analysis.

HEALTH SERVICES

NO. SPHL/D-79/SW-116/270/15

Date :- 6/5/15

Forwarded With Compliments To:- Mimer Medical College, Near Talegaon Railway Station, Talegaon- Dabhade, Taluka- Maval, Dist.- Pune.

With reference to letter no. -----


Dated- 21/04/2015.

Fee :

Rs: 1040/-

Receipt No. - 9878083/-

Date: 21/04/2015.


Deputy Director of Health Services,
State Public Health Laboratory, Pune.



Water Treatment Equipments

For Water And Waste Water Treatment Systems

Sales Off. : 28/6, Apte Colony Pune-Nashik Road, Bhosari, Pune - 411 039.

Mfg. & Service : Sr.No. 60/1, Bhosari-Alandi Road, Behind Hotel Pragati, Magazine Corner,
Wadmkhwr di, Charholi(B), Pimpri Chinchwad, Pune - 412 10.

Contacts : + 91-20-32009688, 32689688 +91-7350010552 Email : contact@watertreatmentindia.net



PAYMENT DEMAND LETTER

TO,

Date: 05.05.2015

EXECUTIVE DIRECTOR,

MIMER MEDICAL COLLEGE

TALEGAON DHABHADE,

PUNE.

CONTACT PERSON: Mr. Mistri

ORDER NO: HOSP- 0117 / 16.01.2014

QUOTATION REF: WTE/STP/04/23 DTD 23-4-13

PAYMENT TERMS: Payment will be made 10% advance, 50% against Proforma Invoice, 20% after Errection, & Commissioning & Balance within 21 days after Completion.

HANDOVER DATE: 18.03.2015

SUBJECT: Payment Demand Letter.

Dear Sir,

This Is With Reference To Your Purchase Order No. HOSP- 0117 / 16.01.2014, for design, supply, erecting, commissioning of Sewage Treatment Plant 300 KLD. at your MIMER site talegaon dhabhade.

As per payment terms we are request you to give the balance payment for the plant.

Pending Amount: Rs. 5, 74,892.00

Do The Needful & Oblige Us.

Thanking You

For Water Treatment Equipments

Mr. Pravin R Rane (Project Engineer)



NABL Accredited Laboratory as per ISO/IEC:17025:2005
Recognized by Ministry of Environment and Forest (MoEF), Govt. of India
ISO 9001: 2008 and OHSAS ISO 18001: 2007 Certified Company

ENalyze*

Test Report		REPORT NO: AB/RPO/05/2015-16/118		
Sample Code	AB/05/2015-16/118			
Sample Name	STP Outlet			
Name of Client	MIMER Medical College			
Address of Client	Talegaon Dabhade Pune			
Sample Collected by	Water Treatment Equipment			
Contact Person	Mr.Pravin Rane			
Telephone No.	7350865400			
Email of the client	projects@watertreatmentindia.net			
Sample type	Liquid			
Test Code	AB/E/ CT/03,04,01,26,27,10			
Sample received on date	11/05/2015			
Analysis Date	11/05/2015 to 25/05/2015			
Reporting date	25/05/2015			
Sample returned /stored	Stored at 4°C for 1 week from the date of reporting			
Sr. No.	Parameter	Results	Units	Standard Method
Physical Parameter				
1	TSS	<10.0	mg/lit	IS: 3025 Part-17 (R.A : 1996)
2	TDS	364.0	mg/lit	IS: 3025 Part-16 (R.A : 2006)
Chemical Parameter				
1	pH	7.26	-	IS: 3025 Part-11 (R.A : 2002)
2	BOD	5.0	mg/lit	IS: 3025 Part-44 (R.A : 2003)
3	COD	1.0	mg/lit	IS: 3025 Part-58 (R.A : 2006)
4	Oil and grease	1.0	mg/lit	IS: 3025 Part-39 (R.A : 2003)

Verified By - Eesha Wadzirkar
Quality Manager

Authorized By - Aniket Taware
Technical Manager

Dr. Bikash Aich
Govt. Analyst
Gazette Notification No: S.O 2850 (E)
—End of Report—



EXCLUSION FROM OUR SCOPE

Testing

Aavanira Biotech (P) Ltd. undertakes the testing of samples subject to the following:

1. Aavanira Biotech (P) Ltd. does not take any responsibility for variance in test results due to any reason such as deterioration or alteration in sample during storage prior to testing on account of incomplete or modification of test requests.
2. Aavanira Biotech (P) Ltd. is free to adopt any National, International or its own Internally validated standard specification for conducting the tests, in absence of specific request from the Sender.
3. The results presented in test report pertain only to the sample that was analyzed at a particular time. Therefore results shall not be construed representative of any process or product from where the sample was drawn. Endorsement of the product in the test report will neither be inferred nor implied by Aavanira Biotech (P) Ltd.
4. Aavanira Biotech (P) Ltd. assumes no liability, loss or damage caused by use or misuse of the test report under any circumstances. Any liability is limited only to the testing charges, in the case of proven negligence by the laboratory.
5. Acceptance of sample testing by Aavanira Biotech (P) Ltd. will be limited to its analysis only. Aavanira Biotech (P) Ltd. will not offer any opinion, advise or recommendation with respect to the suitability or otherwise of the sample for any application or further use.
6. Conformities to a particular standard or specification will be mentioned in test report as may be specified by the Sender at the time of Sample acceptance by Aavanira Biotech (P) Ltd. in the Request for Testing (RFT) form.
7. Additional Test Report copy will be billed extra at Rs. 100/-. Please inform beforehand.
8. Samples drawn under special circumstances like for insurance coverage or litigation, the Sender at the time of submission of the samples shall have to declare

legalities to Aavanira Biotech (P) Ltd. in writing. If not the sample do not have any legal evidence.

9. For registering Complaints complaint Register is available at the Company or can mail us on the Info@aaavanira.com

Delivery of Test Report

1. The expected date for the Test report mentioned in the Request for Testing (RFT) form is only indicative and provisional. The same can be confirmed, if so desired, from us before the end of the next working day. Circumstances beyond the control of the laboratory, such as natural calamities, strikes, non-availability of critical material and breakdown of equipments may cause delay. However, Aavanira Biotech (P) Ltd. will make all efforts to keep the Sender informed.
2. Aavanira Biotech (P) Ltd. maintains strict confidentiality of all the analysis and test results and supplied product and will not reveal this information to third party unless required by statutory or legal requirements.
3. The test report delivery will be either by soft mail, land mail or by hand.
4. Any technical disturbances about test report has to be reported within 5 working days. And if not the report will be considered full & final & invoice will be automatically raised.

Return of Samples

1. Unused sample or those not accepted for testing, for any reason(s) will be collected by the sender at his own cost.
2. Samples will be disposed of 7 days after testing from the date of issue of the report, unless otherwise requested by the sender.
3. Samples accepted elsewhere on our behalf are provisional until final acceptance at our Laboratory and office in Chinchwad, Pune.

Environment Laboratory Recognized By Ministry of Environment & Forests. Govt. of India, New Delhi Under E. P. Act, 1986, Vide Gazette Notification S. O. 2850 (E) Dated the December 07, 2012 to December 06, 2017.

||SHREE||

TAX INVOICE

(Rule 11 of Central Excise Rule 2002, as amended)

ORIGINAL FOR BUYER



WATER TREATMENT EQUIPMENTS

SR.No.80, Behind Hotel Pragati, Bhosari-Alandi Road,
Wadmukhwadi-Charholi, Pimpri-Chinchwad, Pune-412105.
Tel.:+91-9822909688 Email : accounts@watertreatmentindia.net



An ISO 9001 : 2008 Certified Company

Our VAT TIN No. : 27560625581V Our CST TIN No. : 27560625581C	Invoice No. : 00389 ECC No. : AAAPW8485HEM001	Date : 19.01.2015
Range : Bhosari Range II Div. : Bhosari Div-I	Code No. : PLA No. :	Desp.from : Veh.No. : MH34M0755
Excise Comodity : SEWAGE TREATMENT PLANT Tariff Heading No. : 84212190 Rate of Duty : 6.00% Notif. No. :	Transporter : TEJ CARRIER PVT LTD Nature of Removal : Independent Buyer Category : Industrial Consumer	Date & Time of Preparation : 19.01.2015 10.00 Date & Time of Removal : 19.01.2015 10.15
Customer : 58064 MAHARASHTRA INSTITUTE OF MEDICAL DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL, TALEGAON-DABHADE	Consignee : 58064 MAHARASHTRA INSTITUTE OF MEDICAL DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL, TALEGAON-DABHADE	
Your VAT TIN : NA Your CST TIN : NA	Your ECC No. : NA	

Your PO No. & Date : HOSP-0117/16.01.2014 /Dt. 16.01.2014

Sr. No.	Particulars	Qty & Unit	Unit Rate Rs.	Amount Rs.
1	SEWAGE TREATMENT PLANT CIVIL UNDER GROUND-300KLD	1.000 No.	1459785.270	1459785.00

Remark :	Sub Total	Rs.	1459785.00
	Less Discount	Rs.	
Excise Duty Payable Rs. : 87587.10 E. Duty in words : (Rupees Eighty Seven Thousand Five Hundred Eighty Seven And Paise Ten Only)	Packing & Forwarding 0.00 %	Rs.	0.00
	Total Ass. Value	Rs.	1459785.00
Invoice Value : (Rupees Seventeen Lakh Forty Three Thousand Seven Hundred Fifty Only)	Total Excise Duty @ 6.00 %	Rs.	87587.10
	Edu. Cess @ 2.00 % on ED	Rs.	1751.74
Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.	H&S Cess @ 1.00 % on ED	Rs.	875.87
	Taxable Freight/Transport	Rs.	0.00
We hereby certify that our registration certificate under the Maharashtra Value Added Tax Act, 2005 is in force on the date on which that the sale of the goods specified in this Tax Invoice is made by us and that the transaction of sales covered by this Tax Invoice has been affected by us and it shall be accounted for in the turnover of sales while filing of return and the due tax if any payable on the sale has been paid or shall be paid.	Taxable Amount	Rs.	1549999.71
	Mvat @ 12.50%	Rs.	193749.96
Payment Terms: If payment of this bill is not received within due date, interest @ 24% P. A. will be collected from you in addition to the bill amount.	Freight	Rs.	0.00
	Octroi	Rs.	0.00
LBT Regi.No.-PCMC-LBT-0000904		Rs.	0.00
	Round off	Rs.	0.33
	Invoice Value	Rs.	1743750.00

Material received in good condition.



For WATER TREATMENT EQUIPMENTS

Authorized Signatory

Receiver's Signature

Subject to Pune Jurisdiction Only

TAX INVOICE

(Rule 11 of Central Excise Rule 2002, as amended)

DUPLICATE FOR TRANSPORTER



WATER TREATMENT EQUIPMENTS

SR.No.80, Behind Hotel Pragati, Bhosari-Alandi Road,
Wadmukhwadi-Charholi, Pimpri-Chinchwad, Pune-412105.
Tel.:+91-9822909688 Email : accounts@watertreatmentindia.net



An ISO 9001 : 2008 Certified Company

Our VAT TIN No. : 27560625581V Our CST TIN No. : 27560625581C	Invoice No. : 00389 ECC No. : AAAPFW8485HEM001	Date : 19.01.2015
Range : Bhosari Range II Div. : Bhosari Div- I	Code No. : PLA No.:	Desp.from : Veh.No.: MH34M0755
Excise Comodity : SEWAGE TREATMENT PLANT Tariff Heading No. : 84212190 Rate of Duty : 6.00% Notif. No. :	Nature of Removal : Independent Buyer Category : Industrial Consumer	Date & Time of Preparation : 19.01.2015 10.00 Date & Time of Removal : 19.01.2015 10.15
Customer : MAHARASHTRA INSTITUTE OF MEDICAL DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL, TALEGAON-DABHADE	58064	Consignee : MAHARASHTRA INSTITUTE OF MEDICAL DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL, TALEGAON-DABHADE
58064	Your VAT TIN : NA Your CST TIN : NA	Your ECC No. : NA

Your PO No. & Date : HOSP-0117/16.01.2014 /Dt. 16.01.2014

Sr. No.	Particulars	Qty & Unit	Unit Rate Rs.	Amount Rs.
1	SEWAGE TREATMENT PLANT CIVIL UNDER GROUND-300KLD	1.000 No.	1459785.270	1459785.00

Remark :	Sub Total	Rs.	1459785.00
	Less Discount	Rs.	
Excise Duty Payable Rs. : 87587.10 E.Duty in words : (Rupees Eighty Seven Thousand Five Hundred Eighty Seven And Paise Ten Only)	Packing & Forwarding 0.00 %	Rs.	0.00
	Total Ass. Value	Rs.	1459785.00
	Total Excise Duty @ 6.00 %	Rs.	87587.10
	Edu. Cess @ 2.00 % on ED	Rs.	1751.74
	H&S Cess @ 1.00 % on ED	Rs.	875.87
	Taxable Freight/Transport	Rs.	0.00
Invoice Value : (Rupees Seventeen Lakh Forty Three Thousand Seven Hundred Fifty Only)	Taxable Amount	Rs.	1549999.71
	MVAT @ 12.50%	Rs.	193749.96
Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.	Freight	Rs.	0.00
	Octroi	Rs.	0.00
		Rs.	0.00
We hereby certify that our registration certificate under the Maharashtra Value Added Tax Act. 2005 is in force on the date on which that the sale of the goods specified in this Tax Invoice is made by us and that the transaction of sales covered by this Tax Invoice has been affected by us and it shall be accounted for in the turnover of sales while filing of return and the due tax if any payable on the sale has been paid or shall be paid.	Round off	Rs.	0.33
		Invoice Value Rs.	1743750.00

Payment Terms: If payment of this bill is not received within due date, interest @ 24% P. A. will be collected from you in addition to the bill amount.	Material received in good condition.		For WATER TREATMENT EQUIPMENTS Authorised Signatory
LBT Regi.No.-PCMC-LBT-0000904	Receiver's Signature		

||SHREE||

TAX INVOICE

(Rule 11 of Central Excise Rule 2002, as amended)

ORIGINAL FOR BUYER

Page 1 of 1



WATER TREATMENT EQUIPMENTS

SR.No.80, Behind Hotel Pragati, Bhosari-Alandi Road,
Wadmukhwadi-Charholi, Pimpri-Chinchwad, Pune-412105.
Tel.:+91-9822909688 Email : accounts@watertreatmentindia.net



An ISO 9001 : 2008 Certified Company

Our VAT TIN No. : 27560625581V Our CST TIN No. : 27560625581C	Invoice No. : 00389 ECC No. : AAAF78485HEM001	Date : 19.01.2015
Range : Bhosari Range II Div. : Bhosari Div-I	Code No. : PLA No.:	Veh.No. : MH34M0755
Excise Comodity : SEWAGE TREATMENT PLANT Tariff Heading No. : 84212190 Rate of Duty : 6.00% Notif. No. :	Transporter : TEJ CARRIER PVT LTD Nature of Removal : Independent Buyer Category : Industrial Consumer	
Customer : 58064 MAHARASHTRA INSTITUTE OF MEDICAL DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL, TALEGAON-DABHADE	Consignee : 58064 MAHARASHTRA INSTITUTE OF MEDICAL DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL, TALEGAON-DABHADE	
Your VAT TIN : NA Your CST TIN : NA	Your ECC No. : NA	

Your PO No. & Date : HOSP-0117/16.01.2014 /Dt. 16.01.2014

Sr. No.	Particulars	Qty & Unit	Unit Rate Rs.	Amount Rs.
1	SEWAGE TREATMENT PLANT CIVIL UNDER GROUND-300KLD	1.000 No.	1459785.270	1459785.00

Remark :	Sub Total	Rs.	1459785.00
	Less Discount	Rs.	
Excise Duty Payable Rs. : 87587.10 E.Duty in words : (Rupees Eighty Seven Thousand Five Hundred Eighty Seven And Paise Ten Only)	Packing & Forwarding 0.00 %	Rs.	0.00
	Total Ass. Value	Rs.	1459785.00
	Total Excise Duty @ 6.00 %	Rs.	87587.10
	Edu. Cess @ 2.00 % on ED	Rs.	1751.74
	H&S Cess @ 1.00 % on ED	Rs.	875.87
	Taxable Freight/Transport	Rs.	0.00
Invoice Value : (Rupees Seventeen Lakh Forty Three Thousand Seven Hundred Fifty Only)	Taxable Amount	Rs.	1549999.71
	MVAT @ 12.50%	Rs.	193749.96
Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer. We hereby certify that our registration certificate under the Maharashtra Value Added Tax Act, 2005 is in force on the date on which that the sale of the goods specified in this Tax Invoice is made by us and that the transaction of sales covered by this Tax Invoice has been affected by us and it shall be accounted for in the turnover of sales while filing of return and the due tax if any payable on the sale has been paid or shall be paid.	Freight	Rs.	0.00
	Octroi	Rs.	0.00
	Round off	Rs.	0.33
	Invoice Value	Rs.	1743750.00

Payment Terms:
If payment of this bill is not received within due date, interest @ 24% P. A. will be collected from you in addition to the bill amount.

Material received in good condition.



For WATER TREATMENT EQUIPMENTS

LBT Regi.No.-PCMC-LBT-0000904

Receiver's Signature

Subject to Pune Jurisdiction Only

[Signature]
Authorised Signatory

||SHREE||

TAX INVOICE

(Rule 11 of Central Excise Rule 2002, as amended)

DUPLICATE FOR TRANSPOTER

Page 1 of 1



WATER TREATMENT EQUIPMENTS

SR.No.80, Behind Hotel Pragati, Bhosari-Alandi Road,
Wadmukhwadi-Charholi, Pimpri-Chinchwad, Pune-412105.
Tel.:+91-9822909688 Email : accounts@watertreatmentindia.net



An ISO 9001 : 2008 Certified Company

Our VAT TIN No. : 27560625581V	Invoice No. : 00389	Date : 19.01.2015
Our CST TIN No. : 27560625581C	ECC No. : AAAPW8485HEM001	
Range : Bhosari Range II Code No. : Div. : Bhosari Div-I PLA No.:	Desp.from : Transporter : TEJ CARRIER PVT LTD	Veh.No.: MH34M0755
Excise Comodity : SEWAGE TREATMENT PLANT Tariff Heading No. : 84212190 Rate of Duty : 6.00% Notif. No. :	Nature of Removal : Independent Buyer Category : Industrial Consumer	
Customer : 58064 MAHARASHTRA INSTITUTE OF MEDICAL DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL, TALEGAON-DABHADE	Consignee : 58064 MAHARASHTRA INSTITUTE OF MEDICAL DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL, TALEGAON-DABHADE	
Your VAT TIN : NA Your CST TIN : NA	Your ECC No. : NA	

Your PO No. & Date : HOSP-0117/16.01.2014 /Dt. 16.01.2014

Sr. No.	Particulars	Qty & Unit	Unit Rate Rs.	Amount Rs.
1	SEWAGE TREATMENT PLANT CIVIL UNDER GROUND-300KLD	1.000 No.	1459785.270	1459785.00

	Sub Total	Rs.	1459785.00
	Less Discount	Rs.	
	Packing & Forwarding 0.00 %	Rs.	0.00
	Total Ass. Value	Rs.	1459785.00
	Total Excise Duty @ 6.00 %	Rs.	87587.10
	Edu. Cess @ 2.00 % on ED	Rs.	1751.74
	H&S Cess @ 1.00 % on ED	Rs.	875.87
	Taxable Freight/Transport	Rs.	0.00
	Taxable Amount	Rs.	1549999.71
	MVAT @ 12.50%	Rs.	193749.96
	Freight	Rs.	0.00
	Octroi	Rs.	0.00
	Round off	Rs.	0.33
	Invoice Value	Rs.	1743750.00

<p>Payment Terms: If payment of this bill is not received within due date, interest @ 24% P. A. will be collected from you in addition to the bill amount.</p> <p>LBT Regi.No.-PCMC-LBT-0000904</p>	<p>Material received in good condition.</p> <p>Receiver's Signature</p>	<p>Subject to Pune Jurisdiction Only</p>	<p>For WATER TREATMENT EQUIPMENTS</p> <p><i>[Signature]</i> Authorised Signatory</p>
---	---	--	--

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.

We hereby certify that our registration certificate under the Maharashtra Value Added Tax Act, 2005 is in force on the date on which that the sale of the goods specified in this Tax Invoice is made by us and that the turnover of sales covered by this Tax Invoice has been affected by us and it shall be accounted for in be paid.

Invoice Value : (Rupees Seventeen Lakh Forty Three Thousand Seven Hundred Fifty Only)

87587.10
Eighty Seven Thousand Five Hundred Eighty Seven And Paise Ten Only

Joint Visit Report

1. Name of HCE - Mrs. Bhansahab Sardesai
Talegaon Rural Hospital,
Talegaon Dabhade, Tal. Marol,
Dist. Pune.

2. Date of visit:- 13/7/2018

3. Person contacted:- Dr. Dhanaji Jadhav
Professor - Anatomy
Dr. Vinayak More
Medical Superintendent
M - 9822423331
Email - info@mitmimer.com
principal@mitmimer.com

4. Observations:-

(i) Total beds - 680


(ii) BMW is disposed through Mrs. Life Secure Enterprises, CBMWTSDF, located in college campus.

(iii) STP units found in idle condition. Most of the STP units are underground condition hence it seems to be difficult for smooth operation & maintenance of STP. At site STP operator was not available during visit.

Instructed to submit drawing & design details of STP. Operation & maintenance of STP shall be improved.

(iv) Liquid laboratory wastes disposed into domestic sewage drainage. The same shall be segregated & its proper treatment shall be done.

(PTU)

- 
- 1) Submit proposal for utilization of treated sewage during monsoon conditions.
 - 2) Submit details of BMW generated & disposed on monthly basis for one year period.
 - 3) Submit copy of latest available Consent & BMW Authorization & pointwise compliance of prescribed conditions with documentary proof.

Submit compliance report for above within seven days.

V. More.
(Dr. Vinayak More)
Medical Superintendent

Dr. H. D. Gandhe.
(Dr. H. D. Gandhe)
Regional Officer
MPCB Pune.



Water Treatment Equipments

For Water And Waste Water Treatment Systems

Sales Off. : 26/6, Apte Colony Pune-Nashik Road, Bhosari, Pune - 411 039.

Mfg. & Service : Sr.No. 80/1, Bhosari-Alandi Road, Behind Hotel Pragati, Magazine Corner,

Wadmukhwadi, Charholi(B), Pimpri Chinchwad, Pune - 412 105.

Contacts : + 91+20-32009688, 32669688 +91-7350010552 Email : contact@watertreatmentindia.net



PAYMENT DEMAND LETTER

Date: 05.05.2015

TO,
EXECUTIVE DIRECTOR,
MIMER MEDICAL COLLEGE
TALEGAON DHABHADE,
PUNE.

CONTACT PERSON: Mr. Mistri

ORDER NO: HOSP- 0117 / 16.01.2014

QUOTATION REF: WTE/STP/04/23 DTD 23-4-13

PAYMENT TERMS: Payment will be made 10% advance, 50% against Proforma Invoice, 20% after Errection, & Commissioning & Balance within 21 days after Completion.

HANDOVER DATE: 18.03.2015

SUBJECT: Payment Demand Letter.

Dear Sir,

This Is With Reference To Your Purchase Order No. HOSP- 0117 / 16.01.2014, for design, supply, erecting, commissioning of Sewage Treatment Plant 300 KLD. at your MIMER site talegaon dhabhade.

As per payment terms we are request you to give the balance payment for the plant.

Pending Amount: Rs. 5, 74,892.00

Do The Needful & Oblige Us.

Thanking You

For Water Treatment Equipments

Mr. Pravin R Rane (Project Engineer)



Recived
A.P.R.
Kandhe H.R.
8/5/2015



WTE Infra Projects Pvt. Ltd.

For Water And Waste Water Treatment Systems



An ISO 9001:2008 Certified Company

Sales & Project Office : Sr.No. 80/1, Bhosari-Alandi Road, Behind Hotel Pragati, Magazine Corner, Wadmukhwadi, Charholi(B), Pimpri Chinchwad, Pune - 412 105.
Mfg. : - PAP 77, Nr Bridgstone Company, MIDC Phase II, Chakhan, Village Sawardari, Tq. Khed, Dist. Pune - 410 501.

SERVICE / VISIT REPORT

Date : 18/1/2018

Client Name : MIMER college

Project Name/Site Name : MIMER college (STP/ETP/RO/DM/SOFT)

Person From Client : _____ Mob. : 9970816336

Person From WTE : Mr. Vivek B. Mob. : 9168090248

SUPPLY/ERECTION/COMMISSIONING/AFTER SALES SERVICE WITHIN WARRANTY/
BEYOND WARRANTY/OTHER COMPANY PLANT / CURTSY VISIT / AMC / REVAMPING

As per site visit check all plants. Below are repairing should be done.

- ① Servicing of Blower
- ② servicing of motors. Need to gland change.
- ③ football 1 1/2" - 4
- football 2 1/2" - 4
- ④ Blower belt - 6
- ⑤ Dosing pump NRV - 1 Qty.

Because of overflow all sludge came to permeate tank. It should clean already tell customer to clean the tank & remove all water.

(CLIENT)

[Signature]
18/01/2018

[Signature]
WTE

Email : services@watertreatmentindia.net Web. : www.watertreatmentpune.com

24*7 Support for Enquires & Services : + 91+8888889611, 8888889622, 9850726688



MAHARASHTRA ACADEMY OF ENGINEERING AND EDUCATION RESEARCHS
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH,
DR. BHAUSAHEB SARDESAI TALEGAON RURAL HOSPITAL
TALEGAON-DABHADE - 410 507.

Website : www.mitmimer.com

• E. Mail : mimer.stores@gmail.com • Tel : 02114-308448, 495, 300

GST NO: 27AAAAM1206F1Z6
WORK ORDER

Supplier:- WTE Infra Projects Pvt. Ltd.

6/6 Aple Colony Pune -Nashik Road. Behind Ayyappa Temple,
Thosan Pune-411039 Ph.No.0(20)-32009688/32669688,/8975759688

E-mail:-Contact@watertreatmentindia.net

GSTIN : 27AAECK4133B1Z0

State : Maharashtra

State Code

27

Ship to : MIMER MEDICAL COLLEGE, TALEGAON DABHADE

Bill to : MIMER MEDICAL COLLEGE, TALEGAON DABHADE

Order No : 180 Dated:-10/01/2018

Qtn No : WTE/AK/SPARES/17-18/1771 Dated:-21/11/2017

Dept : Electrical (STP Plant Maintenance)

Sr.	Description of Goods	HSN Code	Qty	Rate	Amount	Less discount	Taxable value	GST		Total
								%	Amount	
1	All Blower Preventive service	9954	2	16800.00	33600.00	3600.00	30000.00	18	5400.00	35400.00
2	Mudge Pump Maintains	9954	1	7000.00	7000.00	1500.00	5500.00	18	990.00	6490.00
3	Blue Tube	9954	12mtr	80.00	960.00	120.00	840.00	18	151.20	991.20
4	Operation & Maintenance Board In Marathi.	9954	1	1500.00	1500.00	300.00	1200.00	18	216.00	1416.00
5	Operation & Maintenance Training (2 days)	9954	2	1500.00	3000.00	0.00	3000.00	18	540.00	3540.00
6	Sevice Charges (1 lot)	998717	1 lot	3000.00	3000.00	500.00	2500.00	18	450.00	2950.00
TOTAL					49,060.00	6,020.00	43,040.00		7,747.20	50787.20

Total amount before tax: Rs.43040.00

Total amount after tax: Rs.50787.00

Total payable amount in words: Rs.Fifty Thousand Seven Hundred Eighty Seven Rupees only.

Terms & Conditions:-

GST : Inclusive
Payment : 50 % Advance and remaining 50% after the completion of work & receipt of bill.

Delivery Period : within 4 to 5 days
Transportation : Included

Prepared By
Purchase Dept

Checked By
Purchase Dept

EXECUTIVE DIRECTOR
MIMER MEDICAL COLLEGE & HOSPITAL
TALEGAON (D)



Case File Number: MH-22138-RF-XR-008

Issuance Date: 06/07/2020

Document Number: 15-LOEE-41415

Expiry Date: 06/07/2025

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. SURESH GHASAS to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
C-Arm	ALLENGERS MEDICAL SYSTEMS LTD.	Allengers-HF-49R	G-XR-30538

The **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** and **DR. SURESH GHASAS** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma
Head, RSD

DR. SURESH GHASAS

MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

PUNE, MAHARASHTRA-410507

Copy to: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH
AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

TERMS AND CONDITIONS

1. No activity will be carried out by your institute for purposes other than those specified in this Licence.
2. The regulatory responsibilities of the employer, licensee and RSO as laid down in the Atomic Energy (Radiation Protection) Rules, 2004 or the latest revision of AERB Safety Code (AERB/SC/Med-2) shall be adhered to.
3. Availability of qualified and trained personnel and personnel monitoring service for radiation workers shall be ensured all the time.
4. Availability of services of a qualified radiologist or related medical practitioner, with adequate knowledge of radiation protection for interpretation and reporting shall be ensured all the time.
5. Full facilities shall be accorded to any authorised representatives of the competent authority to inspect the facility at any time. Records on manufacturing/supply/Quality Assurance Tests /Type Approvals shall be made available.
6. The periodic safety status report of x-ray equipment in the possession of the institution shall be submitted to AERB.
7. The x-ray shall not be sold or otherwise transferred to another person without obtaining the specific permission from AERB.
8. In case of change in layout/change in positioning/change in location of x-ray equipment prior permission shall be obtained from regulatory body.
9. Any incident involving radiation exposure to person from this x-ray equipment shall be immediately intimated to AERB.
10. Licence shall be renewed before its expiry.
11. A copy of this Licence shall be displayed in a prominent location in the control room of x-ray equipment.
12. This license may be suspended, modified or withdrawn as specified in the Atomic Energy (Radiation Protection) Rules, 2004, in the event of contravention of the provisions of the above Act / Rules / Codes or terms and conditions of the Licence. Where deemed appropriate, AERB may also initiate penal action against the Employer/licensee in such an event.
13. In case there is change in information contained in this licence after its issuance, such as change of Licensee, Employer, name of institution, address etc., and changes such as addition/ decommissioning of Medical X-ray equipment it shall be ensured by licensee that the necessary amendment to this effect to the licence is obtained from the Competent Authority.
14. The X-ray equipment shall be operated by qualified personnel trained in radiation safety. No radiation worker shall be allowed to operate the X-ray equipment without TLD badge/PMS

XXXXXXXXXXXXXXXXXXXX



Case File Number: MH-22138-RF-XR-008

Issuance Date: 06/07/2020

Document Number: 15-LOEE-41415

Expiry Date: 06/07/2025

मेडिकल डाइग्नोस्टिक एक्स-रे उपकरण के प्रचालन हेतु पंजीकरण

परमाणु ऊर्जा अधिनियम, 1962 की धारा 16 तथा 17 जो कि लागू हो, के साथ पठित परमाणु ऊर्जा (विकिरण संरक्षण) नियम [एई (आरपी)आर], 2004 के नियम (3) के अधीन प्रदत्त शक्तियों का प्रयोग करते हुए, परमाणु ऊर्जा नियामक परिषद् (एईआरबी) एतद्द्वारा Dr. SURESH GHAISAS के पक्ष में MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 स्थित निम्नलिखित मेडिकल डाइग्नोस्टिक एक्स-रे उपकरणों का मेडिकल डाइग्नोस्टिक उद्देश्य हेतु प्रचालन करने के लिए पंजीकरण जारी करता है।

उपकरण का प्रकार	विनिर्माता	मॉडल	उपकरण का आईडी
C-Arm	ALLENGERS MEDICAL SYSTEMS LTD.	Allengers-HF-49R	G-XR-30538

उपरोक्त उपकरण के प्रचालन के कारण कार्मिकों, जनता तथा पर्यावरण के विकिरण से संरक्षण के संबंध में परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट जिम्मेदारियों को सौंपने के उद्देश्य हेतु **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** तथा **DR. SURESH GHAISAS** को क्रमशः नियोक्ता तथा अनुज्ञापिकर्ता के रूप में पहचाना गया है।

NA

नियोक्ता तथा अनुज्ञापिकर्ता निम्न के लिए उत्तरदायी हैं,

I. निम्नलिखित के संगत प्रावधानों सहित अनुपालन सुनिश्चित करना

i. परमाणु ऊर्जा अधिनियम, 1962

ii. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004;

iii. एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2), 2001, संशोधित 2012 तथा इसके संशोधन

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

iv. उपरोक्त कार्यों के संबंध में एईआरबी द्वारा जारी किये गये सभी संरक्षा संहिताएं, दिशानिर्देश तथा एईआरबी द्वारा समय-समय पर जारी किये गये विनिर्मायक दस्तावेज़

v. सक्षम प्राधिकारी द्वारा समय-समय पर जारी किये गये दिशानिर्देश।

II. पिछले पृष्ठ पर दर्शाये गये निबंधनों एवं शर्तों का अनुपालन सुनिश्चित करना।

नोट :-

यह पंजीकरण केवल विकिरण संरक्षा के मुद्दे को ध्यान में रखते हुए जारी किया गया है। अन्य सहमतियाँ संबंधित राज्य/केंद्र/स्थानीय प्राधिकरणों से प्राप्त करनी होंगी।



(डॉ. पी के दाश शर्मा)

प्रभागाध

यक्ष, आरएसडी

DR. SURESH GHASIAS, MEDICAL DIRECTOR
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI
TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION
PUNE, MAHARASHTRA-410507
CC: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND
DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

निबंधन तथा शर्तें

1. इस पंजीकरण में विनिर्दिष्ट उद्देश्यों के अलावा किसी अन्य उद्देश्य के लिए संस्थान द्वारा गतिविधियां नहीं की जानी हैं।
2. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 अथवा एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2) में दी गई नियोक्ता, अनुज्ञापिकर्ता तथा आरएसओ की विनिमायक जिम्मेदारियों का पालन करना होगा।
3. विकिरण कार्मिकों के लिए योग्यता प्राप्त एवं प्रशिक्षित कार्मिकों तथा कार्मिक मॉनिटरिंग सेवा की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
4. व्याख्या और रिपोर्टिंगके लिएअर्हता प्राप्तरेडियोलॉजिस्टअथवासंबंधितचिकित्सक, जिसकोविकिरण सुरक्षाकी पर्याप्त जानकारीहो, की सेवाओं की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
5. सक्षम प्राधिकारी द्वारा प्राधिकृत किये गये प्रतिनिधियों को किसी भी समय निरीक्षण करने हेतु सम्पूर्ण सुविधाएँ दी जानी चाहिए। विनिर्माण/आपूर्ति/गुणवत्ता आश्वासन परीक्षणों/टाइप अनुमोदनों का अभिलेख उपलब्ध करवाना होगा।
6. संस्थान के स्वामित्व वाले एक्स-रे उपकरणों की सावधिक संरक्षा स्थिति रिपोर्ट एईआरबी को प्रस्तुत की जानी चाहिए।
7. एईआरबी से विशेष अनुमति लिये बिना एक्स-रे उपकरण को न बेचा जाए और नही इसे किसी अन्य व्यक्ति को अंतरित किया जाए।
8. लेआऊट में कोई परिवर्तन/एक्स-रे उपकरण की स्थिति/स्थान में कोई परिवर्तन करना हो तो विनिमायक निकाय की पुर्वानुमति लेनी होगी।
9. इस एक्स-रे उपकरणसे किसी प्रकार के विकिरण उद्भासन की कोई घटना होती है तो इसकी सूचना तुरंत एईआरबी को देनी है।
10. पंजीकरण के समाप्त होने के पूर्व इसका नवीकरण कराना होगा।
11. इस पंजीकरण की एक प्रति एक्स-रे उपकरण/संस्थापन के पास स्पष्ट दिखें ऐसी जगह पर प्रदर्शित की जानी होगी।
12. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट के अनुसार इस अधिनियम/नियम/संहिता के किसी प्रावधानों अथवा अनुज्ञप्ति के निबंधन एवं शर्तों में किसी प्रकार के उल्लंघन की स्थिति में यह अनुज्ञप्ति निलंबित, आशोधित की जा सकती है अथवा वापस ली जा सकती है। ऐसी किसी घटना में, जहाँ समुचित प्रतित होता हो, एईआरबी उक्त नियोक्ता/अनुज्ञापिकर्ता के विरुद्ध दण्ड की कार्रवाई भी कर सकता है।
13. इस पंजीकरण के जारी होने के बाद किसी सूचना जैसे अनुज्ञापिकर्ता, नियोक्ता, संस्थान का नाम, पता आदि में परिवर्तन अथवा मेडिकल एक्स-रे उपकरण की संख्या में वृद्धि/विकमीशनन आदि के संबंध में कोई परिवर्तन होने की स्थिति में अनुज्ञापिकर्ता द्वारा यह सुनिश्चित कर लिया जाए कि इस बारे में पंजीकरण में आवश्यक संशोधन हेतु सक्षम प्राधिकारी से अनुमोदन लिया गया है।
14. एक्सरे उपकरण विकिरण सुरक्षा में प्रशिक्षित कर्मियों द्वारा संचालित किया जाएगा। कोई विकिरण कार्यकर्ता को टीएलडी बैज / पीएमएस के बिना एक दूसरे उपकरण संचालित करने की अनुमति नहीं दी जाएगी।



Case File Number: MH-22138-RF-XR-007

Issuance Date: 06/07/2020

Document Number: 15-LOEE-41405

Expiry Date: 06/07/2025

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. SURESH GHASAS to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
C-Arm	ALLENGERS MEDICAL SYSTEMS LTD.	Allengers-HF-49R	G-XR-30264

The **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** and **DR. SURESH GHASAS** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma
Head, RSD

DR. SURESH GHASAS

MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

PUNE, MAHARASHTRA-410507

Copy to: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH
AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

TERMS AND CONDITIONS

1. No activity will be carried out by your institute for purposes other than those specified in this Licence.
2. The regulatory responsibilities of the employer, licensee and RSO as laid down in the Atomic Energy (Radiation Protection) Rules, 2004 or the latest revision of AERB Safety Code (AERB/SC/Med-2) shall be adhered to.
3. Availability of qualified and trained personnel and personnel monitoring service for radiation workers shall be ensured all the time.
4. Availability of services of a qualified radiologist or related medical practitioner, with adequate knowledge of radiation protection for interpretation and reporting shall be ensured all the time.
5. Full facilities shall be accorded to any authorised representatives of the competent authority to inspect the facility at any time. Records on manufacturing/supply/Quality Assurance Tests /Type Approvals shall be made available.
6. The periodic safety status report of x-ray equipment in the possession of the institution shall be submitted to AERB.
7. The x-ray shall not be sold or otherwise transferred to another person without obtaining the specific permission from AERB.
8. In case of change in layout/change in positioning/change in location of x-ray equipment prior permission shall be obtained from regulatory body.
9. Any incident involving radiation exposure to person from this x-ray equipment shall be immediately intimated to AERB.
10. Licence shall be renewed before its expiry.
11. A copy of this Licence shall be displayed in a prominent location in the control room of x-ray equipment.
12. This license may be suspended, modified or withdrawn as specified in the Atomic Energy (Radiation Protection) Rules, 2004, in the event of contravention of the provisions of the above Act / Rules / Codes or terms and conditions of the Licence. Where deemed appropriate, AERB may also initiate penal action against the Employer/licensee in such an event.
13. In case there is change in information contained in this licence after its issuance, such as change of Licensee, Employer, name of institution, address etc., and changes such as addition/ decommissioning of Medical X-ray equipment it shall be ensured by licensee that the necessary amendment to this effect to the licence is obtained from the Competent Authority.
14. The X-ray equipment shall be operated by qualified personnel trained in radiation safety. No radiation worker shall be allowed to operate the X-ray equipment without TLD badge/PMS

XXXXXXXXXXXXXXXXXXXX



Case File Number: MH-22138-RF-XR-007

Issuance Date: 06/07/2020

Document Number: 15-LOEE-41405

Expiry Date: 06/07/2025

मेडिकल डाइग्नोस्टिक एक्स-रे उपकरण के प्रचालन हेतु पंजीकरण

परमाणु ऊर्जा अधिनियम, 1962 की धारा 16 तथा 17 जो कि लागू हो, के साथ पठित परमाणु ऊर्जा (विकिरण संरक्षण) नियम [एई (आरपी)आर], 2004 के नियम (3) के अधीन प्रदत्त शक्तियों का प्रयोग करते हुए, परमाणु ऊर्जा नियामक परिषद् (एईआरबी) एतद्वारा Dr. SURESH GHAISAS के पक्ष में MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 स्थित निम्नलिखित मेडिकल डाइग्नोस्टिक एक्स-रे उपकरणों का मेडिकल डाइग्नोस्टिक उद्देश्य हेतु प्रचालन करने के लिए पंजीकरण जारी करता है।

उपकरण का प्रकार	विनिर्माता	मॉडल	उपकरण का आईडी
C-Arm	ALLENGERS MEDICAL SYSTEMS LTD.	Allengers-HF-49R	G-XR-30264

उपरोक्त उपकरण के प्रचालन के कारण कार्मिकों, जनता तथा पर्यावरण के विकिरण से संरक्षण के संबंध में परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट जिम्मेदारियों को सौंपने के उद्देश्य हेतु **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** तथा **DR. SURESH GHAISAS** को क्रमशः नियोक्ता तथा अनुज्ञापिकर्ता के रूप में पहचाना गया है।

NA

नियोक्ता तथा अनुज्ञापिकर्ता निम्न के लिए उत्तरदायी हैं,

I. निम्नलिखित के संगत प्रावधानों सहित अनुपालन सुनिश्चित करना

i. परमाणु ऊर्जा अधिनियम, 1962

ii. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004;

iii. एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2), 2001, संशोधित 2012 तथा इसके संशोधन

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

iv. उपरोक्त कार्यों के संबंध में एईआरबी द्वारा जारी किये गये सभी संरक्षा संहिताएं, दिशानिर्देश तथा एईआरबी द्वारा समय-समय पर जारी किये गये विनिर्मायक दस्तावेज़

v. सक्षम प्राधिकारी द्वारा समय-समय पर जारी किये गये दिशानिर्देश।

II. पिछले पृष्ठ पर दर्शाये गये निबंधनों एवं शर्तों का अनुपालन सुनिश्चित करना।

नोट :-

यह पंजीकरण केवल विकिरण संरक्षा के मुद्दे को ध्यान में रखते हुए जारी किया गया है। अन्य सहमतियाँ संबंधित राज्य/केंद्र/स्थानीय प्राधिकरणों से प्राप्त करनी होंगी।



(डॉ. पी के दाश शर्मा)

प्रभागाध

यक्ष, आरएसडी

DR. SURESH GHASIAS, MEDICAL DIRECTOR
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI
TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION
PUNE, MAHARASHTRA-410507
CC: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND
DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

निबंधन तथा शर्तें

1. इस पंजीकरण में विनिर्दिष्ट उद्देश्यों के अलावा किसी अन्य उद्देश्य के लिए संस्थान द्वारा गतिविधियां नहीं की जानी हैं।
2. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 अथवा एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2) में दी गई नियोक्ता, अनुज्ञापिकर्ता तथा आरएसओ की विनिमायक जिम्मेदारियों का पालन करना होगा।
3. विकिरण कार्मिकों के लिए योग्यता प्राप्त एवं प्रशिक्षित कार्मिकों तथा कार्मिक मॉनिटरिंग सेवा की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
4. व्याख्या और रिपोर्टिंगके लिएअर्हता प्राप्तरेडियोलॉजिस्टअथवासंबंधितचिकित्सक, जिसकोविकिरण सुरक्षाकी पर्याप्त जानकारीहो, की सेवाओं की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
5. सक्षम प्राधिकारी द्वारा प्राधिकृत किये गये प्रतिनिधियों को किसी भी समय निरीक्षण करने हेतु सम्पूर्ण सुविधाएँ दी जानी चाहिए। विनिर्माण/आपूर्ति/गुणवत्ता आश्वासन परीक्षणों/टाइप अनुमोदनों का अभिलेख उपलब्ध करवाना होगा।
6. संस्थान के स्वामित्व वाले एक्स-रे उपकरणों की सावधिक संरक्षा स्थिति रिपोर्ट एईआरबी को प्रस्तुत की जानी चाहिए।
7. एईआरबी से विशेष अनुमति लिये बिना एक्स-रे उपकरण को न बेचा जाए और नही इसे किसी अन्य व्यक्ति को अंतरित किया जाए।
8. लेआऊट में कोई परिवर्तन/एक्स-रे उपकरण की स्थिति/स्थान में कोई परिवर्तन करना हो तो विनिमायक निकाय की पुर्वानुमति लेनी होगी।
9. इस एक्स-रे उपकरणसे किसी प्रकार के विकिरण उद्भासन की कोई घटना होती है तो इसकी सूचना तुरंत एईआरबी को देनी है।
10. पंजीकरण के समाप्त होने के पूर्व इसका नवीकरण कराना होगा।
11. इस पंजीकरण की एक प्रति एक्स-रे उपकरण/संस्थापन के पास स्पष्ट दिखें ऐसी जगह पर प्रदर्शित की जानी होगी।
12. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट के अनुसार इस अधिनियम/नियम/संहिता के किसी प्रावधानों अथवा अनुज्ञप्ति के निबंधन एवं शर्तों में किसी प्रकार के उल्लंघन की स्थिति में यह अनुज्ञप्ति निलंबित, आशोधित की जा सकती है अथवा वापस ली जा सकती है। ऐसी किसी घटना में, जहाँ समुचित प्रतित होता हो, एईआरबी उक्त नियोक्ता/अनुज्ञापिकर्ता के विरुद्ध दण्ड की कार्रवाई भी कर सकता है।
13. इस पंजीकरण के जारी होने के बाद किसी सूचना जैसे अनुज्ञापिकर्ता, नियोक्ता, संस्थान का नाम, पता आदि में परिवर्तन अथवा मेडिकल एक्स-रे उपकरण की संख्या में वृद्धि/विकमीशनन आदि के संबंध में कोई परिवर्तन होने की स्थिति में अनुज्ञापिकर्ता द्वारा यह सुनिश्चित कर लिया जाए कि इस बारे में पंजीकरण में आवश्यक संशोधन हेतु सक्षम प्राधिकारी से अनुमोदन लिया गया है।
14. एक्सरे उपकरण विकिरण सुरक्षा में प्रशिक्षित कर्मियों द्वारा संचालित किया जाएगा। कोई विकिरण कार्यकर्ता को टीएलडी बैज / पीएमएस के बिना एक दूसरे उपकरण संचालित करने की अनुमति नहीं दी जाएगी।



Case File Number: MH-22138-RF-XR-010

Issuance Date: 06/07/2020

Document Number: 15-LOEE-41700

Expiry Date: 06/07/2025

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. SURESH GHASAS to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Mobile)	PHILIPS INDIA LIMITED	Diagnox - 60	G-XR-31510

The **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** and **DR. SURESH GHASAS** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma
Head, RSD

DR. SURESH GHASAS

MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

PUNE, MAHARASHTRA-410507

Copy to: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH
AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

TERMS AND CONDITIONS

1. No activity will be carried out by your institute for purposes other than those specified in this Licence.
2. The regulatory responsibilities of the employer, licensee and RSO as laid down in the Atomic Energy (Radiation Protection) Rules, 2004 or the latest revision of AERB Safety Code (AERB/SC/Med-2) shall be adhered to.
3. Availability of qualified and trained personnel and personnel monitoring service for radiation workers shall be ensured all the time.
4. Availability of services of a qualified radiologist or related medical practitioner, with adequate knowledge of radiation protection for interpretation and reporting shall be ensured all the time.
5. Full facilities shall be accorded to any authorised representatives of the competent authority to inspect the facility at any time. Records on manufacturing/supply/Quality Assurance Tests /Type Approvals shall be made available.
6. The periodic safety status report of x-ray equipment in the possession of the institution shall be submitted to AERB.
7. The x-ray shall not be sold or otherwise transferred to another person without obtaining the specific permission from AERB.
8. In case of change in layout/change in positioning/change in location of x-ray equipment prior permission shall be obtained from regulatory body.
9. Any incident involving radiation exposure to person from this x-ray equipment shall be immediately intimated to AERB.
10. Licence shall be renewed before its expiry.
11. A copy of this Licence shall be displayed in a prominent location in the control room of x-ray equipment.
12. This license may be suspended, modified or withdrawn as specified in the Atomic Energy (Radiation Protection) Rules, 2004, in the event of contravention of the provisions of the above Act / Rules / Codes or terms and conditions of the Licence. Where deemed appropriate, AERB may also initiate penal action against the Employer/licensee in such an event.
13. In case there is change in information contained in this licence after its issuance, such as change of Licensee, Employer, name of institution, address etc., and changes such as addition/ decommissioning of Medical X-ray equipment it shall be ensured by licensee that the necessary amendment to this effect to the licence is obtained from the Competent Authority.
14. The X-ray equipment shall be operated by qualified personnel trained in radiation safety. No radiation worker shall be allowed to operate the X-ray equipment without TLD badge/PMS

XXXXXXXXXXXXXXXXXXXX



Case File Number: MH-22138-RF-XR-010

Issuance Date: 06/07/2020

Document Number: 15-LOEE-41700

Expiry Date: 06/07/2025

मेडिकल डाइग्नोस्टिक एक्स-रे उपकरण के प्रचालन हेतु पंजीकरण

परमाणु ऊर्जा अधिनियम, 1962 की धारा 16 तथा 17 जो कि लागू हो, के साथ पठित परमाणु ऊर्जा (विकिरण संरक्षण) नियम [एई (आरपी)आर], 2004 के नियम (3) के अधीन प्रदत्त शक्तियों का प्रयोग करते हुए, परमाणु ऊर्जा नियामक परिषद् (एईआरबी) एतद्वारा Dr. SURESH GHAISAS के पक्ष में MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 स्थित निम्नलिखित मेडिकल डाइग्नोस्टिक एक्स-रे उपकरणों का मेडिकल डाइग्नोस्टिक उद्देश्य हेतु प्रचालन करने के लिए पंजीकरण जारी करता है।

उपकरण का प्रकार	विनिर्माता	मॉडल	उपकरण का आईडी
Radiography (Mobile)	PHILIPS INDIA LIMITED	Diagnox - 60	G-XR-31510

उपरोक्त उपकरण के प्रचालन के कारण कार्मिकों, जनता तथा पर्यावरण के विकिरण से संरक्षण के संबंध में परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट जिम्मेदारियों को सौंपने के उद्देश्य हेतु **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** तथा **DR. SURESH GHAISAS** को क्रमशः नियोक्ता तथा अनुज्ञापिकर्ता के रूप में पहचाना गया है।

NA

नियोक्ता तथा अनुज्ञापिकर्ता निम्न के लिए उत्तरदायी हैं,

I. निम्नलिखित के संगत प्रावधानों सहित अनुपालन सुनिश्चित करना

i. परमाणु ऊर्जा अधिनियम, 1962

ii. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004;

iii. एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2), 2001, संशोधित 2012 तथा इसके संशोधन

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

iv. उपरोक्त कार्यों के संबंध में एईआरबी द्वारा जारी किये गये सभी संरक्षा संहिताएं, दिशानिर्देश तथा एईआरबी द्वारा समय-समय पर जारी किये गये विनिर्मायक दस्तावेज़

v. सक्षम प्राधिकारी द्वारा समय-समय पर जारी किये गये दिशानिर्देश।

II. पिछले पृष्ठ पर दर्शाये गये निबंधनों एवं शर्तों का अनुपालन सुनिश्चित करना।

नोट :-

यह पंजीकरण केवल विकिरण संरक्षा के मुद्दे को ध्यान में रखते हुए जारी किया गया है। अन्य सहमतियाँ संबंधित राज्य/केंद्र/स्थानीय प्राधिकरणों से प्राप्त करनी होंगी।



(डॉ. पी के दाश शर्मा)

प्रभागाध

यक्ष, आरएसडी

DR. SURESH GHASIAS, MEDICAL DIRECTOR
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI
TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION
PUNE, MAHARASHTRA-410507
CC: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND
DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

निबंधन तथा शर्तें

1. इस पंजीकरण में विनिर्दिष्ट उद्देश्यों के अलावा किसी अन्य उद्देश्य के लिए संस्थान द्वारा गतिविधियां नहीं की जानी हैं।
2. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 अथवा एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2) में दी गई नियोक्ता, अनुज्ञापिकर्ता तथा आरएसओ की विनिमायक जिम्मेदारियों का पालन करना होगा।
3. विकिरण कार्मिकों के लिए योग्यता प्राप्त एवं प्रशिक्षित कार्मिकों तथा कार्मिक मॉनिटरिंग सेवा की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
4. व्याख्या और रिपोर्टिंगके लिएअर्हता प्राप्तरेडियोलॉजिस्टअथवासंबंधितचिकित्सक, जिसकोविकिरण सुरक्षाकी पर्याप्त जानकारीहो, की सेवाओं की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
5. सक्षम प्राधिकारी द्वारा प्राधिकृत किये गये प्रतिनिधियों को किसी भी समय निरीक्षण करने हेतु सम्पूर्ण सुविधाएँ दी जानी चाहिए। विनिर्माण/आपूर्ति/गुणवत्ता आश्वासन परीक्षणों/टाइप अनुमोदनों का अभिलेख उपलब्ध करवाना होगा।
6. संस्थान के स्वामित्व वाले एक्स-रे उपकरणों की सावधिक संरक्षा स्थिति रिपोर्ट एईआरबी को प्रस्तुत की जानी चाहिए।
7. एईआरबी से विशेष अनुमति लिये बिना एक्स-रे उपकरण को न बेचा जाए और नही इसे किसी अन्य व्यक्ति को अंतरित किया जाए।
8. लेआऊट में कोई परिवर्तन/एक्स-रे उपकरण की स्थिति/स्थान में कोई परिवर्तन करना हो तो विनिमायक निकाय की पुर्वानुमति लेनी होगी।
9. इस एक्स-रे उपकरणसे किसी प्रकार के विकिरण उद्भासन की कोई घटना होती है तो इसकी सूचना तुरंत एईआरबी को देनी है।
10. पंजीकरण के समाप्त होने के पूर्व इसका नवीकरण कराना होगा।
11. इस पंजीकरण की एक प्रति एक्स-रे उपकरण/संस्थापन के पास स्पष्ट दिखें ऐसी जगह पर प्रदर्शित की जानी होगी।
12. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट के अनुसार इस अधिनियम/नियम/संहिता के किसी प्रावधानों अथवा अनुज्ञप्ति के निबंधन एवं शर्तों में किसी प्रकार के उल्लंघन की स्थिति में यह अनुज्ञप्ति निलंबित, आशोधित की जा सकती है अथवा वापस ली जा सकती है। ऐसी किसी घटना में, जहाँ समुचित प्रतित होता हो, एईआरबी उक्त नियोक्ता/अनुज्ञापिकर्ता के विरुद्ध दण्ड की कार्रवाई भी कर सकता है।
13. इस पंजीकरण के जारी होने के बाद किसी सूचना जैसे अनुज्ञापिकर्ता, नियोक्ता, संस्थान का नाम, पता आदि में परिवर्तन अथवा मेडिकल एक्स-रे उपकरण की संख्या में वृद्धि/विकमीशनन आदि के संबंध में कोई परिवर्तन होने की स्थिति में अनुज्ञापिकर्ता द्वारा यह सुनिश्चित कर लिया जाए कि इस बारे में पंजीकरण में आवश्यक संशोधन हेतु सक्षम प्राधिकारी से अनुमोदन लिया गया है।
14. एक्सरे उपकरण विकिरण सुरक्षा में प्रशिक्षित कर्मियों द्वारा संचालित किया जाएगा। कोई विकिरण कार्यकर्ता को टीएलडी बैज / पीएमएस के बिना एक दूसरे उपकरण संचालित करने की अनुमति नहीं दी जाएगी।



Case File Number: MH-22138-RF-XR-001

Issuance Date: 06/07/2020

Document Number: 15-LOEE-41416

Expiry Date: 06/07/2025

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. SURESH GHASAS to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	Wipro GE Healthcare Private ltd.	DX-525 (Fixed)	G-XR-27702

The **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** and **DR. SURESH GHASAS** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma
Head, RSD

DR. SURESH GHASAS

MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

PUNE, MAHARASHTRA-410507

Copy to: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH
AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

TERMS AND CONDITIONS

1. No activity will be carried out by your institute for purposes other than those specified in this Licence.
2. The regulatory responsibilities of the employer, licensee and RSO as laid down in the Atomic Energy (Radiation Protection) Rules, 2004 or the latest revision of AERB Safety Code (AERB/SC/Med-2) shall be adhered to.
3. Availability of qualified and trained personnel and personnel monitoring service for radiation workers shall be ensured all the time.
4. Availability of services of a qualified radiologist or related medical practitioner, with adequate knowledge of radiation protection for interpretation and reporting shall be ensured all the time.
5. Full facilities shall be accorded to any authorised representatives of the competent authority to inspect the facility at any time. Records on manufacturing/supply/Quality Assurance Tests /Type Approvals shall be made available.
6. The periodic safety status report of x-ray equipment in the possession of the institution shall be submitted to AERB.
7. The x-ray shall not be sold or otherwise transferred to another person without obtaining the specific permission from AERB.
8. In case of change in layout/change in positioning/change in location of x-ray equipment prior permission shall be obtained from regulatory body.
9. Any incident involving radiation exposure to person from this x-ray equipment shall be immediately intimated to AERB.
10. Licence shall be renewed before its expiry.
11. A copy of this Licence shall be displayed in a prominent location in the control room of x-ray equipment.
12. This license may be suspended, modified or withdrawn as specified in the Atomic Energy (Radiation Protection) Rules, 2004, in the event of contravention of the provisions of the above Act / Rules / Codes or terms and conditions of the Licence. Where deemed appropriate, AERB may also initiate penal action against the Employer/licensee in such an event.
13. In case there is change in information contained in this licence after its issuance, such as change of Licensee, Employer, name of institution, address etc., and changes such as addition/ decommissioning of Medical X-ray equipment it shall be ensured by licensee that the necessary amendment to this effect to the licence is obtained from the Competent Authority.
14. The X-ray equipment shall be operated by qualified personnel trained in radiation safety. No radiation worker shall be allowed to operate the X-ray equipment without TLD badge/PMS

XXXXXXXXXXXXXXXXXXXX



Case File Number: MH-22138-RF-XR-001

Issuance Date: 06/07/2020

Document Number: 15-LOEE-41416

Expiry Date: 06/07/2025

मेडिकल डाइग्नोस्टिक एक्स-रे उपकरण के प्रचालन हेतु पंजीकरण

परमाणु ऊर्जा अधिनियम, 1962 की धारा 16 तथा 17 जो कि लागू हो, के साथ पठित परमाणु ऊर्जा (विकिरण संरक्षण) नियम [एई (आरपी)आर], 2004 के नियम (3) के अधीन प्रदत्त शक्तियों का प्रयोग करते हुए, परमाणु ऊर्जा नियामक परिषद् (एईआरबी) एतद्वारा Dr. SURESH GHAISAS के पक्ष में MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 स्थित निम्नलिखित मेडिकल डाइग्नोस्टिक एक्स-रे उपकरणों का मेडिकल डाइग्नोस्टिक उद्देश्य हेतु प्रचालन करने के लिए पंजीकरण जारी करता है।

उपकरण का प्रकार	विनिर्माता	मॉडल	उपकरण का आईडी
Radiography (Fixed)	Wipro GE Healthcare Private ltd.	DX-525 (Fixed)	G-XR-27702

उपरोक्त उपकरण के प्रचालन के कारण कार्मिकों, जनता तथा पर्यावरण के विकिरण से संरक्षण के संबंध में परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट जिम्मेदारियों को सौंपने के उद्देश्य हेतु **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** तथा **DR. SURESH GHAISAS** को क्रमशः नियोक्ता तथा अनुज्ञप्तिकर्ता के रूप में पहचाना गया है।

NA

नियोक्ता तथा अनुज्ञप्तिकर्ता निम्न के लिए उत्तरदायी हैं,

I. निम्नलिखित के संगत प्रावधानों सहित अनुपालन सुनिश्चित करना

i. परमाणु ऊर्जा अधिनियम, 1962

ii. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004;

iii. एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2), 2001, संशोधित 2012 तथा इसके संशोधन

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

iv. उपरोक्त कार्यों के संबंध में एईआरबी द्वारा जारी किये गये सभी संरक्षा संहिताएं, दिशानिर्देश तथा एईआरबी द्वारा समय-समय पर जारी किये गये विनिर्मायक दस्तावेज़

v. सक्षम प्राधिकारी द्वारा समय-समय पर जारी किये गये दिशानिर्देश।

II. पिछले पृष्ठ पर दर्शाये गये निबंधनों एवं शर्तों का अनुपालन सुनिश्चित करना।

नोट :-

यह पंजीकरण केवल विकिरण संरक्षा के मुद्दे को ध्यान में रखते हुए जारी किया गया है। अन्य सहमतियाँ संबंधित राज्य/केंद्र/स्थानीय प्राधिकरणों से प्राप्त करनी होंगी।



(डॉ. पी के दाश शर्मा)

प्रभागाध

यक्ष, आरएसडी

DR. SURESH GHASIAS, MEDICAL DIRECTOR
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI
TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION
PUNE, MAHARASHTRA-410507
CC: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND
DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

निबंधन तथा शर्तें

1. इस पंजीकरण में विनिर्दिष्ट उद्देश्यों के अलावा किसी अन्य उद्देश्य के लिए संस्थान द्वारा गतिविधियां नहीं की जानी हैं।
2. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 अथवा एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2) में दी गई नियोक्ता, अनुज्ञापिकर्ता तथा आरएसओ की विनिमायक जिम्मेदारियों का पालन करना होगा।
3. विकिरण कार्मिकों के लिए योग्यता प्राप्त एवं प्रशिक्षित कार्मिकों तथा कार्मिक मॉनिटरिंग सेवा की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
4. व्याख्या और रिपोर्टिंगके लिएअर्हता प्राप्तरेडियोलॉजिस्टअथवासंबंधितचिकित्सक, जिसकोविकिरण सुरक्षाकी पर्याप्त जानकारीहो, की सेवाओं की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
5. सक्षम प्राधिकारी द्वारा प्राधिकृत किये गये प्रतिनिधियों को किसी भी समय निरीक्षण करने हेतु सम्पूर्ण सुविधाएँ दी जानी चाहिए। विनिर्माण/आपूर्ति/गुणवत्ता आश्वासन परीक्षणों/टाइप अनुमोदनों का अभिलेख उपलब्ध करवाना होगा।
6. संस्थान के स्वामित्व वाले एक्स-रे उपकरणों की सावधिक संरक्षा स्थिति रिपोर्ट एईआरबी को प्रस्तुत की जानी चाहिए।
7. एईआरबी से विशेष अनुमति लिये बिना एक्स-रे उपकरण को न बेचा जाए और नही इसे किसी अन्य व्यक्ति को अंतरित किया जाए।
8. लेआऊट में कोई परिवर्तन/एक्स-रे उपकरण की स्थिति/स्थान में कोई परिवर्तन करना हो तो विनिमायक निकाय की पुर्वानुमति लेनी होगी।
9. इस एक्स-रे उपकरणसे किसी प्रकार के विकिरण उद्भासन की कोई घटना होती है तो इसकी सूचना तुरंत एईआरबी को देनी है।
10. पंजीकरण के समाप्त होने के पूर्व इसका नवीकरण कराना होगा।
11. इस पंजीकरण की एक प्रति एक्स-रे उपकरण/संस्थापन के पास स्पष्ट दिखें ऐसी जगह पर प्रदर्शित की जानी होगी।
12. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट के अनुसार इस अधिनियम/नियम/संहिता के किसी प्रावधानों अथवा अनुज्ञप्ति के निबंधन एवं शर्तों में किसी प्रकार के उल्लंघन की स्थिति में यह अनुज्ञप्ति निलंबित, आशोधित की जा सकती है अथवा वापस ली जा सकती है। ऐसी किसी घटना में, जहाँ समुचित प्रतित होता हो, एईआरबी उक्त नियोक्ता/अनुज्ञापिकर्ता के विरुद्ध दण्ड की कार्रवाई भी कर सकता है।
13. इस पंजीकरण के जारी होने के बाद किसी सूचना जैसे अनुज्ञापिकर्ता, नियोक्ता, संस्थान का नाम, पता आदि में परिवर्तन अथवा मेडिकल एक्स-रे उपकरण की संख्या में वृद्धि/विकमीशनन आदि के संबंध में कोई परिवर्तन होने की स्थिति में अनुज्ञापिकर्ता द्वारा यह सुनिश्चित कर लिया जाए कि इस बारे में पंजीकरण में आवश्यक संशोधन हेतु सक्षम प्राधिकारी से अनुमोदन लिया गया है।
14. एक्सरे उपकरण विकिरण सुरक्षा में प्रशिक्षित कर्मियों द्वारा संचालित किया जाएगा। कोई विकिरण कार्यकर्ता को टीएलडी बैज / पीएमएस के बिना एक दूसरे उपकरण संचालित करने की अनुमति नहीं दी जाएगी।



Case File Number: MH-22138-RF-XR-013

Issuance Date: 06/07/2020

Document Number: 15-LOEE-41464

Expiry Date: 06/07/2025

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. SURESH GHASAS to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Mobile)	M/s. Medicare X-ray Systems (India) Private Limited	Ortho X-1010D	G-XR-31513

The **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** and **DR. SURESH GHASAS** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma
Head, RSD

DR. SURESH GHASAS

MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

PUNE, MAHARASHTRA-410507

Copy to: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH
AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

TERMS AND CONDITIONS

1. No activity will be carried out by your institute for purposes other than those specified in this Licence.
2. The regulatory responsibilities of the employer, licensee and RSO as laid down in the Atomic Energy (Radiation Protection) Rules, 2004 or the latest revision of AERB Safety Code (AERB/SC/Med-2) shall be adhered to.
3. Availability of qualified and trained personnel and personnel monitoring service for radiation workers shall be ensured all the time.
4. Availability of services of a qualified radiologist or related medical practitioner, with adequate knowledge of radiation protection for interpretation and reporting shall be ensured all the time.
5. Full facilities shall be accorded to any authorised representatives of the competent authority to inspect the facility at any time. Records on manufacturing/supply/Quality Assurance Tests /Type Approvals shall be made available.
6. The periodic safety status report of x-ray equipment in the possession of the institution shall be submitted to AERB.
7. The x-ray shall not be sold or otherwise transferred to another person without obtaining the specific permission from AERB.
8. In case of change in layout/change in positioning/change in location of x-ray equipment prior permission shall be obtained from regulatory body.
9. Any incident involving radiation exposure to person from this x-ray equipment shall be immediately intimated to AERB.
10. Licence shall be renewed before its expiry.
11. A copy of this Licence shall be displayed in a prominent location in the control room of x-ray equipment.
12. This license may be suspended, modified or withdrawn as specified in the Atomic Energy (Radiation Protection) Rules, 2004, in the event of contravention of the provisions of the above Act / Rules / Codes or terms and conditions of the Licence. Where deemed appropriate, AERB may also initiate penal action against the Employer/licensee in such an event.
13. In case there is change in information contained in this licence after its issuance, such as change of Licensee, Employer, name of institution, address etc., and changes such as addition/ decommissioning of Medical X-ray equipment it shall be ensured by licensee that the necessary amendment to this effect to the licence is obtained from the Competent Authority.
14. The X-ray equipment shall be operated by qualified personnel trained in radiation safety. No radiation worker shall be allowed to operate the X-ray equipment without TLD badge/PMS

XXXXXXXXXXXXXXXXXXXX



Case File Number: MH-22138-RF-XR-013

Issuance Date: 06/07/2020

Document Number: 15-LOEE-41464

Expiry Date: 06/07/2025

मेडिकल डाइग्नोस्टिक एक्स-रे उपकरण के प्रचालन हेतु पंजीकरण

परमाणु ऊर्जा अधिनियम, 1962 की धारा 16 तथा 17 जो कि लागू हो, के साथ पठित परमाणु ऊर्जा (विकिरण संरक्षण) नियम [एई (आरपी)आर], 2004 के नियम (3) के अधीन प्रदत्त शक्तियों का प्रयोग करते हुए, परमाणु ऊर्जा नियामक परिषद् (एईआरबी) एतद्वारा Dr. SURESH GHAISAS के पक्ष में MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 स्थित निम्नलिखित मेडिकल डाइग्नोस्टिक एक्स-रे उपकरणों का मेडिकल डाइग्नोस्टिक उद्देश्य हेतु प्रचालन करने के लिए पंजीकरण जारी करता है।

उपकरण का प्रकार	विनिर्माता	मॉडल	उपकरण का आईडी
Radiography (Mobile)	M/s. Medicare X-ray Systems (India) Private Limited	Ortho X-1010D	G-XR-31513

उपरोक्त उपकरण के प्रचालन के कारण कार्मिकों, जनता तथा पर्यावरण के विकिरण से संरक्षण के संबंध में परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट जिम्मेदारियों को सौंपने के उद्देश्य हेतु **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** तथा **DR. SURESH GHAISAS** को क्रमशः नियोक्ता तथा अनुज्ञापिकर्ता के रूप में पहचाना गया है।

NA

नियोक्ता तथा अनुज्ञापिकर्ता निम्न के लिए उत्तरदायी हैं,

I. निम्नलिखित के संगत प्रावधानों सहित अनुपालन सुनिश्चित करना

i. परमाणु ऊर्जा अधिनियम, 1962

ii. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004;

iii. एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2), 2001, संशोधित 2012 तथा इसके संशोधन

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

iv. उपरोक्त कार्यों के संबंध में एईआरबी द्वारा जारी किये गये सभी संरक्षा संहिताएं, दिशानिर्देश तथा एईआरबी द्वारा समय-समय पर जारी किये गये विनिर्मायक दस्तावेज़

v. सक्षम प्राधिकारी द्वारा समय-समय पर जारी किये गये दिशानिर्देश।

II. पिछले पृष्ठ पर दर्शाये गये निबंधनों एवं शर्तों का अनुपालन सुनिश्चित करना।

नोट :-

यह पंजीकरण केवल विकिरण संरक्षा के मुद्दे को ध्यान में रखते हुए जारी किया गया है। अन्य सहमतियाँ संबंधित राज्य/केंद्र/स्थानीय प्राधिकरणों से प्राप्त करनी होंगी।



(डॉ. पी के दाश शर्मा)

प्रभागाध

यक्ष, आरएसडी

DR. SURESH GHASIAS, MEDICAL DIRECTOR
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI
TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION
PUNE, MAHARASHTRA-410507
CC: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND
DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

निबंधन तथा शर्तें

1. इस पंजीकरण में विनिर्दिष्ट उद्देश्यों के अलावा किसी अन्य उद्देश्य के लिए संस्थान द्वारा गतिविधियां नहीं की जानी हैं।
2. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 अथवा एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2) में दी गई नियोक्ता, अनुज्ञापिकर्ता तथा आरएसओ की विनिमायक जिम्मेदारियों का पालन करना होगा।
3. विकिरण कार्मिकों के लिए योग्यता प्राप्त एवं प्रशिक्षित कार्मिकों तथा कार्मिक मॉनिटरिंग सेवा की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
4. व्याख्या और रिपोर्टिंगके लिएअर्हता प्राप्तरेडियोलॉजिस्टअथवासंबंधितचिकित्सक, जिसकोविकिरण सुरक्षाकी पर्याप्त जानकारीहो, की सेवाओं की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
5. सक्षम प्राधिकारी द्वारा प्राधिकृत किये गये प्रतिनिधियों को किसी भी समय निरीक्षण करने हेतु सम्पूर्ण सुविधाएँ दी जानी चाहिए। विनिर्माण/आपूर्ति/गुणवत्ता आश्वासन परीक्षणों/टाइप अनुमोदनों का अभिलेख उपलब्ध करवाना होगा।
6. संस्थान के स्वामित्व वाले एक्स-रे उपकरणों की सावधिक संरक्षा स्थिति रिपोर्ट एईआरबी को प्रस्तुत की जानी चाहिए।
7. एईआरबी से विशेष अनुमति लिये बिना एक्स-रे उपकरण को न बेचा जाए और नही इसे किसी अन्य व्यक्ति को अंतरित किया जाए।
8. लेआऊट में कोई परिवर्तन/एक्स-रे उपकरण की स्थिति/स्थान में कोई परिवर्तन करना हो तो विनिमायक निकाय की पुर्वानुमति लेनी होगी।
9. इस एक्स-रे उपकरणसे किसी प्रकार के विकिरण उद्भासन की कोई घटना होती है तो इसकी सूचना तुरंत एईआरबी को देनी है।
10. पंजीकरण के समाप्त होने के पूर्व इसका नवीकरण कराना होगा।
11. इस पंजीकरण की एक प्रति एक्स-रे उपकरण/संस्थापन के पास स्पष्ट दिखें ऐसी जगह पर प्रदर्शित की जानी होगी।
12. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट के अनुसार इस अधिनियम/नियम/संहिता के किसी प्रावधानों अथवा अनुज्ञप्ति के निबंधन एवं शर्तों में किसी प्रकार के उल्लंघन की स्थिति में यह अनुज्ञप्ति निलंबित, आशोधित की जा सकती है अथवा वापस ली जा सकती है। ऐसी किसी घटना में, जहाँ समुचित प्रतित होता हो, एईआरबी उक्त नियोक्ता/अनुज्ञापिकर्ता के विरुद्ध दण्ड की कार्रवाई भी कर सकता है।
13. इस पंजीकरण के जारी होने के बाद किसी सूचना जैसे अनुज्ञापिकर्ता, नियोक्ता, संस्थान का नाम, पता आदि में परिवर्तन अथवा मेडिकल एक्स-रे उपकरण की संख्या में वृद्धि/विकमीशनन आदि के संबंध में कोई परिवर्तन होने की स्थिति में अनुज्ञापिकर्ता द्वारा यह सुनिश्चित कर लिया जाए कि इस बारे में पंजीकरण में आवश्यक संशोधन हेतु सक्षम प्राधिकारी से अनुमोदन लिया गया है।
14. एक्सरे उपकरण विकिरण सुरक्षा में प्रशिक्षित कर्मियों द्वारा संचालित किया जाएगा। कोई विकिरण कार्यकर्ता को टीएलडी बैज / पीएमएस के बिना एक दूसरे उपकरण संचालित करने की अनुमति नहीं दी जाएगी।



Case File Number: MH-22138-RF-XR-005

Issuance Date: 06/07/2020

Document Number: 15-LOEE-41419

Expiry Date: 06/07/2025

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. SURESH GHASAS to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Vision Medicaid Equipment Private Limited	Vision-300 R	G-XR-27711

The **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** and **DR. SURESH GHASAS** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma
Head, RSD

DR. SURESH GHASAS

MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

PUNE, MAHARASHTRA-410507

Copy to: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH
AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

TERMS AND CONDITIONS

1. No activity will be carried out by your institute for purposes other than those specified in this Licence.
2. The regulatory responsibilities of the employer, licensee and RSO as laid down in the Atomic Energy (Radiation Protection) Rules, 2004 or the latest revision of AERB Safety Code (AERB/SC/Med-2) shall be adhered to.
3. Availability of qualified and trained personnel and personnel monitoring service for radiation workers shall be ensured all the time.
4. Availability of services of a qualified radiologist or related medical practitioner, with adequate knowledge of radiation protection for interpretation and reporting shall be ensured all the time.
5. Full facilities shall be accorded to any authorised representatives of the competent authority to inspect the facility at any time. Records on manufacturing/supply/Quality Assurance Tests /Type Approvals shall be made available.
6. The periodic safety status report of x-ray equipment in the possession of the institution shall be submitted to AERB.
7. The x-ray shall not be sold or otherwise transferred to another person without obtaining the specific permission from AERB.
8. In case of change in layout/change in positioning/change in location of x-ray equipment prior permission shall be obtained from regulatory body.
9. Any incident involving radiation exposure to person from this x-ray equipment shall be immediately intimated to AERB.
10. Licence shall be renewed before its expiry.
11. A copy of this Licence shall be displayed in a prominent location in the control room of x-ray equipment.
12. This license may be suspended, modified or withdrawn as specified in the Atomic Energy (Radiation Protection) Rules, 2004, in the event of contravention of the provisions of the above Act / Rules / Codes or terms and conditions of the Licence. Where deemed appropriate, AERB may also initiate penal action against the Employer/licensee in such an event.
13. In case there is change in information contained in this licence after its issuance, such as change of Licensee, Employer, name of institution, address etc., and changes such as addition/ decommissioning of Medical X-ray equipment it shall be ensured by licensee that the necessary amendment to this effect to the licence is obtained from the Competent Authority.
14. The X-ray equipment shall be operated by qualified personnel trained in radiation safety. No radiation worker shall be allowed to operate the X-ray equipment without TLD badge/PMS

XXXXXXXXXXXXXXXXXXXX



Case File Number: MH-22138-RF-XR-005

Issuance Date: 06/07/2020

Document Number: 15-LOEE-41419

Expiry Date: 06/07/2025

मेडिकल डाइग्नोस्टिक एक्स-रे उपकरण के प्रचालन हेतु पंजीकरण

परमाणु ऊर्जा अधिनियम, 1962 की धारा 16 तथा 17 जो कि लागू हो, के साथ पठित परमाणु ऊर्जा (विकिरण संरक्षण) नियम [एई (आरपी)आर], 2004 के नियम (3) के अधीन प्रदत्त शक्तियों का प्रयोग करते हुए, परमाणु ऊर्जा नियामक परिषद् (एईआरबी) एतद्वारा Dr. SURESH GHAISAS के पक्ष में MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 स्थित निम्नलिखित मेडिकल डाइग्नोस्टिक एक्स-रे उपकरणों का मेडिकल डाइग्नोस्टिक उद्देश्य हेतु प्रचालन करने के लिए पंजीकरण जारी करता है।

उपकरण का प्रकार	विनिर्माता	मॉडल	उपकरण का आईडी
Radiography (Fixed)	M/s. Vision Medicaid Equipment Private Limited	Vision-300 R	G-XR-27711

उपरोक्त उपकरण के प्रचालन के कारण कार्मिकों, जनता तथा पर्यावरण के विकिरण से संरक्षण के संबंध में परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट जिम्मेदारियों को सौंपने के उद्देश्य हेतु **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** तथा **DR. SURESH GHAISAS** को क्रमशः नियोक्ता तथा अनुज्ञापिकर्ता के रूप में पहचाना गया है।

NA

नियोक्ता तथा अनुज्ञापिकर्ता निम्न के लिए उत्तरदायी हैं,

I. निम्नलिखित के संगत प्रावधानों सहित अनुपालन सुनिश्चित करना

i. परमाणु ऊर्जा अधिनियम, 1962

ii. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004;

iii. एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2), 2001, संशोधित 2012 तथा इसके संशोधन

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

iv. उपरोक्त कार्यों के संबंध में एईआरबी द्वारा जारी किये गये सभी संरक्षा संहिताएं, दिशानिर्देश तथा एईआरबी द्वारा समय-समय पर जारी किये गये विनिर्मायक दस्तावेज़

v. सक्षम प्राधिकारी द्वारा समय-समय पर जारी किये गये दिशानिर्देश।

II. पिछले पृष्ठ पर दर्शाये गये निबंधनों एवं शर्तों का अनुपालन सुनिश्चित करना।

नोट :-

यह पंजीकरण केवल विकिरण संरक्षा के मुद्दे को ध्यान में रखते हुए जारी किया गया है। अन्य सहमतियाँ संबंधित राज्य/केंद्र/स्थानीय प्राधिकरणों से प्राप्त करनी होंगी।



(डॉ. पी के दाश शर्मा)

प्रभागाध

यक्ष, आरएसडी

DR. SURESH GHASIAS, MEDICAL DIRECTOR
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI
TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION
PUNE, MAHARASHTRA-410507
CC: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND
DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

निबंधन तथा शर्तें

1. इस पंजीकरण में विनिर्दिष्ट उद्देश्यों के अलावा किसी अन्य उद्देश्य के लिए संस्थान द्वारा गतिविधियां नहीं की जानी हैं।
2. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 अथवा एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2) में दी गई नियोक्ता, अनुज्ञापिकर्ता तथा आरएसओ की विनिमायक जिम्मेदारियों का पालन करना होगा।
3. विकिरण कार्मिकों के लिए योग्यता प्राप्त एवं प्रशिक्षित कार्मिकों तथा कार्मिक मॉनिटरिंग सेवा की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
4. व्याख्या और रिपोर्टिंगके लिएअर्हता प्राप्तरेडियोलॉजिस्टअथवासंबंधितचिकित्सक, जिसकोविकिरण सुरक्षाकी पर्याप्त जानकारीहो, की सेवाओं की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
5. सक्षम प्राधिकारी द्वारा प्राधिकृत किये गये प्रतिनिधियों को किसी भी समय निरीक्षण करने हेतु सम्पूर्ण सुविधाएँ दी जानी चाहिए। विनिर्माण/आपूर्ति/गुणवत्ता आश्वासन परीक्षणों/टाइप अनुमोदनों का अभिलेख उपलब्ध करवाना होगा।
6. संस्थान के स्वामित्व वाले एक्स-रे उपकरणों की सावधिक संरक्षा स्थिति रिपोर्ट एईआरबी को प्रस्तुत की जानी चाहिए।
7. एईआरबी से विशेष अनुमति लिये बिना एक्स-रे उपकरण को न बेचा जाए और नही इसे किसी अन्य व्यक्ति को अंतरित किया जाए।
8. लेआऊट में कोई परिवर्तन/एक्स-रे उपकरण की स्थिति/स्थान में कोई परिवर्तन करना हो तो विनिमायक निकाय की पुर्वानुमति लेनी होगी।
9. इस एक्स-रे उपकरणसे किसी प्रकार के विकिरण उद्भासन की कोई घटना होती है तो इसकी सूचना तुरंत एईआरबी को देनी है।
10. पंजीकरण के समाप्त होने के पूर्व इसका नवीकरण कराना होगा।
11. इस पंजीकरण की एक प्रति एक्स-रे उपकरण/संस्थापन के पास स्पष्ट दिखें ऐसी जगह पर प्रदर्शित की जानी होगी।
12. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट के अनुसार इस अधिनियम/नियम/संहिता के किसी प्रावधानों अथवा अनुज्ञप्ति के निबंधन एवं शर्तों में किसी प्रकार के उल्लंघन की स्थिति में यह अनुज्ञप्ति निलंबित, आशोधित की जा सकती है अथवा वापस ली जा सकती है। ऐसी किसी घटना में, जहाँ समुचित प्रतित होता हो, एईआरबी उक्त नियोक्ता/अनुज्ञापिकर्ता के विरुद्ध दण्ड की कार्रवाई भी कर सकता है।
13. इस पंजीकरण के जारी होने के बाद किसी सूचना जैसे अनुज्ञापिकर्ता, नियोक्ता, संस्थान का नाम, पता आदि में परिवर्तन अथवा मेडिकल एक्स-रे उपकरण की संख्या में वृद्धि/विकमीशनन आदि के संबंध में कोई परिवर्तन होने की स्थिति में अनुज्ञापिकर्ता द्वारा यह सुनिश्चित कर लिया जाए कि इस बारे में पंजीकरण में आवश्यक संशोधन हेतु सक्षम प्राधिकारी से अनुमोदन लिया गया है।
14. एक्सरे उपकरण विकिरण सुरक्षा में प्रशिक्षित कर्मियों द्वारा संचालित किया जाएगा। कोई विकिरण कार्यकर्ता को टीएलडी बैज / पीएमएस के बिना एक दूसरे उपकरण संचालित करने की अनुमति नहीं दी जाएगी।



Case File Number: MH-22138-RF-XR-014

Issuance Date: 06/07/2020

Document Number: 15-LOEE-48236

Expiry Date: 06/07/2025

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. SURESH GHASAS to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Vision Medicaid Equipment Private Limited	Vision-500	G-XR-34157

The **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** and **DR. SURESH GHASAS** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma
Head, RSD

DR. SURESH GHASAS

MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

PUNE, MAHARASHTRA-410507

Copy to: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH
AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

TERMS AND CONDITIONS

1. No activity will be carried out by your institute for purposes other than those specified in this Licence.
2. The regulatory responsibilities of the employer, licensee and RSO as laid down in the Atomic Energy (Radiation Protection) Rules, 2004 or the latest revision of AERB Safety Code (AERB/SC/Med-2) shall be adhered to.
3. Availability of qualified and trained personnel and personnel monitoring service for radiation workers shall be ensured all the time.
4. Availability of services of a qualified radiologist or related medical practitioner, with adequate knowledge of radiation protection for interpretation and reporting shall be ensured all the time.
5. Full facilities shall be accorded to any authorised representatives of the competent authority to inspect the facility at any time. Records on manufacturing/supply/Quality Assurance Tests /Type Approvals shall be made available.
6. The periodic safety status report of x-ray equipment in the possession of the institution shall be submitted to AERB.
7. The x-ray shall not be sold or otherwise transferred to another person without obtaining the specific permission from AERB.
8. In case of change in layout/change in positioning/change in location of x-ray equipment prior permission shall be obtained from regulatory body.
9. Any incident involving radiation exposure to person from this x-ray equipment shall be immediately intimated to AERB.
10. Licence shall be renewed before its expiry.
11. A copy of this Licence shall be displayed in a prominent location in the control room of x-ray equipment.
12. This license may be suspended, modified or withdrawn as specified in the Atomic Energy (Radiation Protection) Rules, 2004, in the event of contravention of the provisions of the above Act / Rules / Codes or terms and conditions of the Licence. Where deemed appropriate, AERB may also initiate penal action against the Employer/licensee in such an event.
13. In case there is change in information contained in this licence after its issuance, such as change of Licensee, Employer, name of institution, address etc., and changes such as addition/ decommissioning of Medical X-ray equipment it shall be ensured by licensee that the necessary amendment to this effect to the licence is obtained from the Competent Authority.
14. The X-ray equipment shall be operated by qualified personnel trained in radiation safety. No radiation worker shall be allowed to operate the X-ray equipment without TLD badge/PMS

XXXXXXXXXXXXXXXXXXXX



Case File Number: MH-22138-RF-XR-014

Issuance Date: 06/07/2020

Document Number: 15-LOEE-48236

Expiry Date: 06/07/2025

मेडिकल डाइग्नोस्टिक एक्स-रे उपकरण के प्रचालन हेतु पंजीकरण

परमाणु ऊर्जा अधिनियम, 1962 की धारा 16 तथा 17 जो कि लागू हो, के साथ पठित परमाणु ऊर्जा (विकिरण संरक्षण) नियम [एई (आरपी)आर], 2004 के नियम (3) के अधीन प्रदत्त शक्तियों का प्रयोग करते हुए, परमाणु ऊर्जा नियामक परिषद् (एईआरबी) एतद्वारा Dr. SURESH GHAISAS के पक्ष में MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 स्थित निम्नलिखित मेडिकल डाइग्नोस्टिक एक्स-रे उपकरणों का मेडिकल डाइग्नोस्टिक उद्देश्य हेतु प्रचालन करने के लिए पंजीकरण जारी करता है।

उपकरण का प्रकार	विनिर्माता	मॉडल	उपकरण का आईडी
Radiography (Fixed)	M/s. Vision Medicaid Equipment Private Limited	Vision-500	G-XR-34157

उपरोक्त उपकरण के प्रचालन के कारण कार्मिकों, जनता तथा पर्यावरण के विकिरण से संरक्षण के संबंध में परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट जिम्मेदारियों को सौंपने के उद्देश्य हेतु **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** तथा **DR. SURESH GHAISAS** को क्रमशः नियोक्ता तथा अनुज्ञापिकर्ता के रूप में पहचाना गया है।

NA

नियोक्ता तथा अनुज्ञापिकर्ता निम्न के लिए उत्तरदायी हैं,

I. निम्नलिखित के संगत प्रावधानों सहित अनुपालन सुनिश्चित करना

i. परमाणु ऊर्जा अधिनियम, 1962

ii. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004;

iii. एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2), 2001, संशोधित 2012 तथा इसके संशोधन

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

iv. उपरोक्त कार्यों के संबंध में एईआरबी द्वारा जारी किये गये सभी संरक्षा संहिताएं, दिशानिर्देश तथा एईआरबी द्वारा समय-समय पर जारी किये गये विनिर्मायक दस्तावेज़

v. सक्षम प्राधिकारी द्वारा समय-समय पर जारी किये गये दिशानिर्देश।

II. पिछले पृष्ठ पर दर्शाये गये निबंधनों एवं शर्तों का अनुपालन सुनिश्चित करना।

नोट :-

यह पंजीकरण केवल विकिरण संरक्षा के मुद्दे को ध्यान में रखते हुए जारी किया गया है। अन्य सहमतियाँ संबंधित राज्य/केंद्र/स्थानीय प्राधिकरणों से प्राप्त करनी होंगी।



(डॉ. पी के दाश शर्मा)

प्रभागाध

यक्ष, आरएसडी

DR. SURESH GHASIAS, MEDICAL DIRECTOR
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI
TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION
PUNE, MAHARASHTRA-410507
CC: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND
DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

निबंधन तथा शर्तें

1. इस पंजीकरण में विनिर्दिष्ट उद्देश्यों के अलावा किसी अन्य उद्देश्य के लिए संस्थान द्वारा गतिविधियां नहीं की जानी हैं।
2. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 अथवा एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2) में दी गई नियोक्ता, अनुज्ञापिकर्ता तथा आरएसओ की विनिमायक जिम्मेदारियों का पालन करना होगा।
3. विकिरण कार्मिकों के लिए योग्यता प्राप्त एवं प्रशिक्षित कार्मिकों तथा कार्मिक मॉनिटरिंग सेवा की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
4. व्याख्या और रिपोर्टिंगके लिएअर्हता प्राप्तरेडियोलॉजिस्टअथवासंबंधितचिकित्सक, जिसकोविकिरण सुरक्षाकी पर्याप्त जानकारीहो, की सेवाओं की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
5. सक्षम प्राधिकारी द्वारा प्राधिकृत किये गये प्रतिनिधियों को किसी भी समय निरीक्षण करने हेतु सम्पूर्ण सुविधाएँ दी जानी चाहिए। विनिर्माण/आपूर्ति/गुणवत्ता आश्वासन परीक्षणों/टाइप अनुमोदनों का अभिलेख उपलब्ध करवाना होगा।
6. संस्थान के स्वामित्व वाले एक्स-रे उपकरणों की सावधिक संरक्षा स्थिति रिपोर्ट एईआरबी को प्रस्तुत की जानी चाहिए।
7. एईआरबी से विशेष अनुमति लिये बिना एक्स-रे उपकरण को न बेचा जाए और नही इसे किसी अन्य व्यक्ति को अंतरित किया जाए।
8. लेआऊट में कोई परिवर्तन/एक्स-रे उपकरण की स्थिति/स्थान में कोई परिवर्तन करना हो तो विनिमायक निकाय की पुर्वानुमति लेनी होगी।
9. इस एक्स-रे उपकरणसे किसी प्रकार के विकिरण उद्भासन की कोई घटना होती है तो इसकी सूचना तुरंत एईआरबी को देनी है।
10. पंजीकरण के समाप्त होने के पूर्व इसका नवीकरण कराना होगा।
11. इस पंजीकरण की एक प्रति एक्स-रे उपकरण/संस्थापन के पास स्पष्ट दिखें ऐसी जगह पर प्रदर्शित की जानी होगी।
12. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट के अनुसार इस अधिनियम/नियम/संहिता के किसी प्रावधानों अथवा अनुज्ञप्ति के निबंधन एवं शर्तों में किसी प्रकार के उल्लंघन की स्थिति में यह अनुज्ञप्ति निलंबित, आशोधित की जा सकती है अथवा वापस ली जा सकती है। ऐसी किसी घटना में, जहाँ समुचित प्रतित होता हो, एईआरबी उक्त नियोक्ता/अनुज्ञापिकर्ता के विरुद्ध दण्ड की कार्रवाई भी कर सकता है।
13. इस पंजीकरण के जारी होने के बाद किसी सूचना जैसे अनुज्ञापिकर्ता, नियोक्ता, संस्थान का नाम, पता आदि में परिवर्तन अथवा मेडिकल एक्स-रे उपकरण की संख्या में वृद्धि/विकमीशनन आदि के संबंध में कोई परिवर्तन होने की स्थिति में अनुज्ञापिकर्ता द्वारा यह सुनिश्चित कर लिया जाए कि इस बारे में पंजीकरण में आवश्यक संशोधन हेतु सक्षम प्राधिकारी से अनुमोदन लिया गया है।
14. एक्सरे उपकरण विकिरण सुरक्षा में प्रशिक्षित कर्मियों द्वारा संचालित किया जाएगा। कोई विकिरण कार्यकर्ता को टीएलडी बैज / पीएमएस के बिना एक दूसरे उपकरण संचालित करने की अनुमति नहीं दी जाएगी।



Case File Number: MH-22138-RF-XR-015

Issuance Date: 06/07/2020

Document Number: 15-LOEE-48716

Expiry Date: 06/07/2025

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. SURESH GHASAS to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography and Fluoroscopy	M/s. Vision Medicaid Equipment Private Limited	Vision - 600 RF	G-XR-34160

The **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** and **DR. SURESH GHASAS** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma
Head, RSD

DR. SURESH GHASAS

MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

PUNE, MAHARASHTRA-410507

Copy to: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH
AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

TERMS AND CONDITIONS

1. No activity will be carried out by your institute for purposes other than those specified in this Licence.
2. The regulatory responsibilities of the employer, licensee and RSO as laid down in the Atomic Energy (Radiation Protection) Rules, 2004 or the latest revision of AERB Safety Code (AERB/SC/Med-2) shall be adhered to.
3. Availability of qualified and trained personnel and personnel monitoring service for radiation workers shall be ensured all the time.
4. Availability of services of a qualified radiologist or related medical practitioner, with adequate knowledge of radiation protection for interpretation and reporting shall be ensured all the time.
5. Full facilities shall be accorded to any authorised representatives of the competent authority to inspect the facility at any time. Records on manufacturing/supply/Quality Assurance Tests /Type Approvals shall be made available.
6. The periodic safety status report of x-ray equipment in the possession of the institution shall be submitted to AERB.
7. The x-ray shall not be sold or otherwise transferred to another person without obtaining the specific permission from AERB.
8. In case of change in layout/change in positioning/change in location of x-ray equipment prior permission shall be obtained from regulatory body.
9. Any incident involving radiation exposure to person from this x-ray equipment shall be immediately intimated to AERB.
10. Licence shall be renewed before its expiry.
11. A copy of this Licence shall be displayed in a prominent location in the control room of x-ray equipment.
12. This license may be suspended, modified or withdrawn as specified in the Atomic Energy (Radiation Protection) Rules, 2004, in the event of contravention of the provisions of the above Act / Rules / Codes or terms and conditions of the Licence. Where deemed appropriate, AERB may also initiate penal action against the Employer/licensee in such an event.
13. In case there is change in information contained in this licence after its issuance, such as change of Licensee, Employer, name of institution, address etc., and changes such as addition/ decommissioning of Medical X-ray equipment it shall be ensured by licensee that the necessary amendment to this effect to the licence is obtained from the Competent Authority.
14. The X-ray equipment shall be operated by qualified personnel trained in radiation safety. No radiation worker shall be allowed to operate the X-ray equipment without TLD badge/PMS

XXXXXXXXXXXXXXXXXXXX



Case File Number: MH-22138-RF-XR-015

Issuance Date: 06/07/2020

Document Number: 15-LOEE-48716

Expiry Date: 06/07/2025

मेडिकल डाइग्नोस्टिक एक्स-रे उपकरण के प्रचालन हेतु पंजीकरण

परमाणु ऊर्जा अधिनियम, 1962 की धारा 16 तथा 17 जो कि लागू हो, के साथ पठित परमाणु ऊर्जा (विकिरण संरक्षण) नियम [एई (आरपी)आर], 2004 के नियम (3) के अधीन प्रदत्त शक्तियों का प्रयोग करते हुए, परमाणु ऊर्जा नियामक परिषद् (एईआरबी) एतद्वारा Dr. SURESH GHAISAS के पक्ष में MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION PUNE, MAHARASHTRA-410507 स्थित निम्नलिखित मेडिकल डाइग्नोस्टिक एक्स-रे उपकरणों का मेडिकल डाइग्नोस्टिक उद्देश्य हेतु प्रचालन करने के लिए पंजीकरण जारी करता है।

उपकरण का प्रकार	विनिर्माता	मॉडल	उपकरण का आईडी
Radiography and Fluoroscopy	M/s. Vision Medicaid Equipment Private Limited	Vision - 600 RF	G-XR-34160

उपरोक्त उपकरण के प्रचालन के कारण कार्मिकों, जनता तथा पर्यावरण के विकिरण से संरक्षण के संबंध में परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट जिम्मेदारियों को सौंपने के उद्देश्य हेतु **MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE** तथा **DR. SURESH GHAISAS** को क्रमशः नियोक्ता तथा अनुज्ञापिकर्ता के रूप में पहचाना गया है।

NA

नियोक्ता तथा अनुज्ञापिकर्ता निम्न के लिए उत्तरदायी हैं,

I. निम्नलिखित के संगत प्रावधानों सहित अनुपालन सुनिश्चित करना

i. परमाणु ऊर्जा अधिनियम, 1962

ii. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004;

iii. एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2), 2001, संशोधित 2012 तथा इसके संशोधन

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

iv. उपरोक्त कार्यों के संबंध में एईआरबी द्वारा जारी किये गये सभी संरक्षा संहिताएं, दिशानिर्देश तथा एईआरबी द्वारा समय-समय पर जारी किये गये विनिर्मायक दस्तावेज़

v. सक्षम प्राधिकारी द्वारा समय-समय पर जारी किये गये दिशानिर्देश।

II. पिछले पृष्ठ पर दर्शाये गये निबंधनों एवं शर्तों का अनुपालन सुनिश्चित करना।

नोट :-

यह पंजीकरण केवल विकिरण संरक्षा के मुद्दे को ध्यान में रखते हुए जारी किया गया है। अन्य सहमतियाँ संबंधित राज्य/केंद्र/स्थानीय प्राधिकरणों से प्राप्त करनी होंगी।



(डॉ. पी के दाश शर्मा)

प्रभागाध

यक्ष, आरएसडी

DR. SURESH GHASIAS, MEDICAL DIRECTOR
MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND DR. BHAUSAHEB SARDESAI
TALEGAON RURAL
P.O.TALEGAON GENERAL HOSPITAL, CHAKAN ROAD TALEGAON STATION
PUNE, MAHARASHTRA-410507
CC: MEDICAL DIRECTOR, MAHARASHTRA INSTITUTE OF MEDICAL EDUCATION AND RESEARCH AND
DR. BHAUSAHEB SARDESAI TALEGAON RURAL, PUNE

निबंधन तथा शर्तें

1. इस पंजीकरण में विनिर्दिष्ट उद्देश्यों के अलावा किसी अन्य उद्देश्य के लिए संस्थान द्वारा गतिविधियां नहीं की जानी हैं।
2. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 अथवा एईआरबी संरक्षा संहिता (एईआरबी/एससी/एमईडी-2) में दी गई नियोक्ता, अनुज्ञापिकर्ता तथा आरएसओ की विनिमायक जिम्मेदारियों का पालन करना होगा।
3. विकिरण कार्मिकों के लिए योग्यता प्राप्त एवं प्रशिक्षित कार्मिकों तथा कार्मिक मॉनिटरिंग सेवा की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
4. व्याख्या और रिपोर्टिंगके लिएअर्हता प्राप्तरेडियोलॉजिस्टअथवासंबंधितचिकित्सक, जिसकोविकिरण सुरक्षाकी पर्याप्त जानकारीहो, की सेवाओं की सभी समय के लिए उपलब्धता सुनिश्चित करनी होगी।
5. सक्षम प्राधिकारी द्वारा प्राधिकृत किये गये प्रतिनिधियों को किसी भी समय निरीक्षण करने हेतु सम्पूर्ण सुविधाएँ दी जानी चाहिए। विनिर्माण/आपूर्ति/गुणवत्ता आश्वासन परीक्षणों/टाइप अनुमोदनों का अभिलेख उपलब्ध करवाना होगा।
6. संस्थान के स्वामित्व वाले एक्स-रे उपकरणों की सावधिक संरक्षा स्थिति रिपोर्ट एईआरबी को प्रस्तुत की जानी चाहिए।
7. एईआरबी से विशेष अनुमति लिये बिना एक्स-रे उपकरण को न बेचा जाए और नही इसे किसी अन्य व्यक्ति को अंतरित किया जाए।
8. लेआऊट में कोई परिवर्तन/एक्स-रे उपकरण की स्थिति/स्थान में कोई परिवर्तन करना हो तो विनिमायक निकाय की पुर्वानुमति लेनी होगी।
9. इस एक्स-रे उपकरणसे किसी प्रकार के विकिरण उद्भासन की कोई घटना होती है तो इसकी सूचना तुरंत एईआरबी को देनी है।
10. पंजीकरण के समाप्त होने के पूर्व इसका नवीकरण कराना होगा।
11. इस पंजीकरण की एक प्रति एक्स-रे उपकरण/संस्थापन के पास स्पष्ट दिखें ऐसी जगह पर प्रदर्शित की जानी होगी।
12. परमाणु ऊर्जा (विकिरण संरक्षण) नियम, 2004 में विनिर्दिष्ट के अनुसार इस अधिनियम/नियम/संहिता के किसी प्रावधानों अथवा अनुज्ञप्ति के निबंधन एवं शर्तों में किसी प्रकार के उल्लंघन की स्थिति में यह अनुज्ञप्ति निलंबित, आशोधित की जा सकती है अथवा वापस ली जा सकती है। ऐसी किसी घटना में, जहाँ समुचित प्रतित होता हो, एईआरबी उक्त नियोक्ता/अनुज्ञापिकर्ता के विरुद्ध दण्ड की कार्रवाई भी कर सकता है।
13. इस पंजीकरण के जारी होने के बाद किसी सूचना जैसे अनुज्ञापिकर्ता, नियोक्ता, संस्थान का नाम, पता आदि में परिवर्तन अथवा मेडिकल एक्स-रे उपकरण की संख्या में वृद्धि/विकमीशनन आदि के संबंध में कोई परिवर्तन होने की स्थिति में अनुज्ञापिकर्ता द्वारा यह सुनिश्चित कर लिया जाए कि इस बारे में पंजीकरण में आवश्यक संशोधन हेतु सक्षम प्राधिकारी से अनुमोदन लिया गया है।
14. एक्सरे उपकरण विकिरण सुरक्षा में प्रशिक्षित कर्मियों द्वारा संचालित किया जाएगा। कोई विकिरण कार्यकर्ता को टीएलडी बैज / पीएमएस के बिना एक दूसरे उपकरण संचालित करने की अनुमति नहीं दी जाएगी।